


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES



- A - 1/64 (.171) DIA. 12 HOLES REQ.
- B - 3/8 (.375) " 12 " "
- C - 1/64 (.203) " 16 " "
- D - DRILL & CSIMK 3-48 4 " "
- E - 1/8 (.125) D. 2 " "

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
E	1	S-404 IRIDIUM WAS 3-101 CAUSTIC DIP	9/1/59	1001	AB		EMN
A	1	A HOLE DELETED					
C	3	C " " "	3/1/50	A	OSD		
D	2	HOLES MOVED					
	1	CHAMFER ADDED TO LIP					
C	1	1 "C" HOLE DELETED	4/26/53	3	OSD		
B	1	1 "C" HOLE ADDED	3/22/54	2	1/3		
A	2	1 "A" HOLE ADDED					
A	1	2 "E" HOLES ADDED	2-16-55	1	1/3		

TOLERANCES		SCALE:
ALL	DEC. DIM. ± 1/100	DRILL PUNCH, COMMERCIAL STOCK
OTHERS	FRACTIONAL DIM. ± 1/64	SIZES AND MANUFACTURERS
	ANGULAR DIM. ±	TOLERANCES ARE NOT INCLUDED.

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
A	5	NTH03ABBCG NUT, HEX	
A	4	LWS03MRC WASHER, LOCK	
A	3	SCFS03ABBCA SCREW, MACHINE	
2	2	FS-102-1 SPRING, 'S' TYPE	
1	1	MS-687 RIGHT SIDE (NO DRAWING)	

.064		THE TECHNICAL MATERIEL CORP.	
ALUMINUM		MAMARONECK, NEW YORK	
MATERIAL		RIGHT SIDE PLATE	
5052 H32		Pow/AMP	
TYPE & TEMPER		CDD 3/13/55	
DRAWN		ELEC. DES. APP.	
HEAT TREAT. SPEC.		MECH. DES. APP.	
CHECKED		FINAL APPROVAL	
S-404 IRIDIUM		A-1206 E	
FINISH & SPEC. NO.			

REQ. PER UNIT	MODEL	PROJECT NO.	ASSY. NO.	DATE
1	RTF			9-13-55

A-1206 E