

SYMBOL (S)	ITEM NO.	USED TO MOUNT	QTY	USED ON		DATE
				MODEL	ABS'Y. NO.	
	1			AX103	AX103	9/25/64
E606,607	1					
E608,609						
E610,611						
E612						
C600,601	2					
	4	NS3W0308	2			
		TE104-4 to E607,608	2			
MP600,601	5					
	6	TE104-2	1			
	7	TE104-4 to E607,608	2			
	8	TE104-2	1			
	9	NS3W0308	2			
	10	CM35 GRD	1			
	11	E607 WIRING	2			
		E608 WIRING	2			
	12	NS3W0308	2			

2 12 WA109-56 WASHER, NM
 4 11 TE104-4 TERMINAL LUG-LOCKING, NO. 10
 1 10 TE104-2 TERMINAL, LUG-LOCKING, NO. 6
 2 9 SCBP1032BN8 SCREW, MACHINE
 1 8 SCBP0632BN6 SCREW, MACHINE
 2 7 NTH1032BN12 NUT, PLAIN, HEX
 1 6 NTH0632BN8 NUT, PLAIN, HEX
 2 5 NS3W0308 INSULATOR, STANDOFF
 4 4 LWE10MRN WASHER, LOCK, EXTERNAL
 1 3 LD467/MS1411 PANEL, REAR
 2 2 CM35B103K CAPACITOR, FIXED, MICA
 1 1 AX172 CONTACT, INSULATED

REQ. PER UNIT	MODEL	ABS'Y. NO.	DATE	SYMBOL
1	AX103	AX103	9/25/64	A2309
THE TECHNICAL MATERIEL CORP. NEW YORK				
PLATE ASSEMBLY, REAR				
REQ. ITEM	PART NO.	DESCRIPTION	CHECKER	ENG. APP.
		STOCK SIZE		
		MATERIAL		
		TYPE & TEMPER	HEAT TREAT. SPEC.	
		FINISH & SPEC. NO.		
		ENG. COORD	DRAWN	CHECKED
		16-9-23	92	9-25-64
				FINAL APPROVAL
				A2309
				MECH. DES. APP.
				ELEC. DES. APP.

10-8-64
 DATE
 10-8-64
 SCALE
 UNLESS OTHERWISE SPECIFIED
 DIMENSIONS ARE IN INCHES AND INCLUDE
 CHEMICALLY APPLIED OR PLATED FINISHES
 TOLERANCES
 DECIMALS
 .X ± .05
 .XX ± .01
 .XXX ± .005
 FRACTIONS
 ± 1/64
 ANGLES
 ± 0° 30'