


	REQ. PER UNIT	USED ON			A2907	Ø
	1	MODEL	ASS'Y. NO.	DATE		
		SWR-10K-RM		12/30/64		

SYMBOL(S)	ITEM NO.	USED TO MOUNT	QTY
-----------	----------	---------------	-----

5		HA102-5BN	4
7		A2908 to A2910	1
		A2908 to A2911	1
		A2910 to A2909	3
		A2911 to A2909	3
8		A2908 & HA102 to A2910	2
		A2908 & HA102 to A2911	2
11		A2908 to A2910	1
		A2908 to A2911	1
		A2910 to A2909	3
		A2911 to A2909	3
12		A2910 to A2909	3
		A2911 to A2909	3
13		A2908 to A2910	1
14		A2908 & HA102 to A2910	2
		A2908 & HA102 to A2911	2
15		A2908 to A2911	1

1	15	SCFP0832BN7	SCREW, MACHINE
4	14	SCBP1032BN8	SCREW, MACHINE
1	13	SCBP0832BN7	SCREW, MACHINE
6	12	SCBP0832BN6	SCREW, MACHINE
8	11	NTH0832BN10	NUT, PLAIN, HEXAGON
1	10	MS1193	COVER, BOTTOM
1	9	MS1192	COVER, TOP
4	8	LWE10MRN	WASHER, LOCK, EXTERNAL
8	7	LWE08MRN	WASHER, LOCK, EXTERNAL
2	6	HA102-5BN	HANDLE, BOW
4	5	CU139-2B	FERRULE, HANDLE
1	4	A2911	PLATE ASSEMBLY, RIGHT SIDE
1	3	A2910	PLATE ASSEMBLY, LEFT SIDE
1	2	A2909	CHASSIS ASSEMBLY
1	1	A2908	PANEL ASSEMBLY, FRONT

REQ.	ITEM	PART NO.	BUDETTI		DESCRIPTION	SYMBOL	
					THE TECHNICAL MATERIEL CORP.		
					MAMARONECK. NEW YORK		
			STOCK SIZE		SWR-10K-RM FINAL ASSEMBLY		
			MATERIAL				
			1-19-65	Z. Gabel			
			ENG COORD	1-19-65			
			TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
			FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	A2907
							Ø

REQ. PER UNIT	USED ON			A2909	Ø
	MODEL	ASS'Y. NO.	DATE		
	1	SWR-10K-RM	12/30/64		

SYMBOL(S)	ITEM NO.	USED TO MOUNT	QTY						
W101	3								
	7	CA979(MS3102)	40						
		TM100-3	4						
	8	A4042	2						
	9	FS102-1	4						
	10	TM100-3	2						
	11	FS102-1	4						
	12	CA979(MS3102),TM100	40,4						
	13	TM100-3	1	30	21	WL100-7	WIRE, ELECTRICAL, BUSS		
	14	CA979(MS3102)	40	19	20	WL100-4	WIRE, ELECTRICAL, BUSS		
	15	TM100-3	4	1	19	TM100-3	TERMINAL BOARD-BARRIER		
	16	A4042	2	4	18	TE149-120	TERMINAL, LUG-NO.4		
	17	FS102-1	4	4	17	SCFP0348BN4	SCREW, MACHINE		
	18	J101	1	2	16	SCBP0632BN6	SCREW, MACHINE		
		J106	1	4	15	SCBP0440BN9	SCREW, MACHINE		
		J110	1	40	14	SCBP0440BN5	SCREW, MACHINE		
		TM100-3	1	1	13	PX337-3	INSULATED, TERMINAL BOARD		
TB101	19			44	12	NTH0440BN8	NUT, PLAIN, HEXAGON		
	20	MS3102 WRG	19	4	11	NTH0348BN6	NUT, PLAIN, HEXAGON		
	21	MS3102 WRG	30	2	10	MS154-1	PLATE, MOUNTING, TERMINAL BOARD		
				4	9	LWS03MRN	WASHER, LOCK, SPLIT		
				2	8	LWE06MRN	WASHER, LOCK, EXTERNAL		
				44	7	LWE04MRN	WASHER, LOCK, EXTERNAL		
				1	6	LD402/MS1267	CHASSIS, MAIN		
				10	5	HB110-4	CAP, PROTECTIVE, DUST, NM		
				2	4	FS102-1	LOCKSPRING		
				1	3	CA979	WIRING HARNESS, BRANCHED		
				2		BS100	SOLDER, TIN ALLOY		
				1	1	A4042-4	TERMINAL BOARD, FINAL ASSEMBLY		

REQ.	ITEM	PART NO.	BUDETTI			DESCRIPTION	SYMBOL	
			THE TECHNICAL MATERIEL CORP.					
			MAMARONECK. NEW YORK					
			CHASSIS ASSEMBLY, MAIN					
			MATERIAL					
			12-30-64 ENG COORD					
			I. Gabel 1-19-65					
			RSC					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			SCALE					
TYPE & TEMPER			HEAT TREAT. SPEC.		DRAWN		CHECKED	FINAL APPROVAL
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005			FRACTIONS ± 1/64 ANGLES ± 0° 30'		CODE		A2909	Ø
TOLERANCES			FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.	

REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
1	SWR-10K-RM	A2907	12/30/64
1	SWR-3K-RM	A2917	1/19/65

A2910



SYMBOL(S)	ITEM NO.	USED TO MOUNT	QTY
-----------	----------	---------------	-----

2	FS102-1	10
4	FS102-1	10
5	FS102-1	10

10	5	SCFP0348BN4	SCREW, MACHINE
10	4	NTH0348BN6	NUT, PLAIN, HEXAGON
1	3	MS1189	PLATE, SIDE, LEFT
10	2	LWS03MRN	WASHER, LOCK, SPLIT
5	1	FS102-1	LOCKSPRING

REQ.	ITEM	PART NO.	BUDETTI				DESCRIPTION	SYMBOL		
							THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK PLATE ASSEMBLY, LEFT SIDE	Ø		
			STOCK SIZE							
			MATERIAL							
Ø		ORIGINAL RELEASE FOR PRODUCTION	1-19-65	Ø	92	16				
SYM	DESCRIPTION		DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			SCALE		TYPE & TEMPER		HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'		CODE	FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	A2910

REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
1	SWR-10K-RM	A2907	12/31/64
1	SWR-3K-RM	A2917	1/19/65

A2911

Ø

SYMBOL(S)	ITEM NO.	USED TO MOUNT	QTY
-----------	----------	---------------	-----

	2	FS102-1	10
	4	FS102-1	10
	5	FS102-1	10

10	5	SCFP0348BN4	SCREW, MACHINE
10	4	NTH0348BN6	NUT, PLAIN, HEXAGON
1	3	MS1190	PLATE, SIDE, RIGHT
10	2	LWS03MRN	WASHER, LOCK, SPLIT
5	1	FS102-1	LOCKSPRING

REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
			BUDETTI			
			THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK			
			STOCK SIZE			
			PLATE ASSEMBLY, RIGHT SIDE			
			MATERIAL			
			12-31-64	L. gabil	RJC	
			ENG COORD	1-19-65		
			TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
						FINAL APPROVAL
			FINISH & SPEC. NO.			A2911
			ELEC. DES. APP.			MECH. DES. APP.

Ø ORIGINAL RELEASE FOR PRODUCTION

1/19/65 e JS 16

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS
.X ± .05
.XX ± .01
.XXX ± .005

FRACTIONS
± 1/64
ANGLES
± 0° 30'

TOLERANCES

REQ. PER UNIT	USED ON			A2912	C
	MODEL	ASS'Y. NO.	DATE		
1	GPT-10K()8				

TMC P/N	NOTE	U/O
A2912	AS SHOWN IN B/M	AX227
A2912-2	DELE. IT. 6, 7 & 10	AX227-4
A2912-3	DELE. IT. 9 & 10	AX214
A2912-4	DELE. IT. 6, 7, 9 & 10	AX214-2, 3

NOTE: THIS NO. IS ASSIGNED TO PURCHASING FOR THE PACKAGE OF ITEMS SHOWN IN THE BUILDUP AS RECEIVED FROM THE VENDOR.

THE LATEST REVISION OF ALL NUMBERS SHOWN SHOULD BE USED.

SEE A5222 FOR STD TRIMS

8	12	HB101-3B	BUTTON, PLUG-1/2
36	11	HB101-6B	BUTTON, PLUG-7/8
2	10	MS2257	SPACER, DOOR-U/O MS2118, 2119
2	9	MS2256	COVER, FILTER, BLANK-U/O MS2116
1	8	MS2255	COVER, FILTER, U/O MS2117
1	7	MS2119	DOOR, FRONT, AUX
1	6	MS2118	DOOR, FRONT, MAIN
1	5	MS2117	PANEL, LEFT SIDE, AUX
1	4	MS2116	PANEL, RIGHT SIDE, MAIN
1	3	MS1699	PANEL, TOP
1	2	MS1648	DOOR, REAR, AUX
1	1	MS1647	DOOR, REAR, MAIN

C	A2912-3,4 ADDED	12-6-67	18632	H.Y.		E.F.M.	REQ.	ITEM	PART NO.	BUDETTI	DESCRIPTION	SYMBOL		
B	TMC P/N CHART ADDED	11/30/65	15157	F.V.I.						THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
A	DELE IT. 1-10. CHG IT. 11-22-65	10/5/65	14947	X.G.					STOCK SIZE	SKINS, 10K-PURCHASING PACKAGE				
Q	ORIGINAL RELEASE FOR PRODUCTION	1-12-65	Q	X.G.					MATERIAL					
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL		ENG COORD	L. GABEL	FINAL APPROVAL			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE						12-22-64	1-19-65	X.G. [Signature]				
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		TOLERANCES		CODE		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.
										A2912		C		

TMC PART NO	NOTE	USED ON
A2913	AS SHOWN IN B/M	AX 214
A2913-2	DELETE ITEM 6&7	AX 214-3 AX 214-2

REQ. PER UNIT	USED ON			A2913	D
	MODEL	ASS'Y. NO.	DATE		
1	GPT-40K()5				

NOTE: THIS NO. IS ASSIGNED TO PURCHASING FOR THE PACKAGE OF ITEMS SHOWN IN THE BUILDUP AS RECEIVED FROM THE VENDOR. THE LATEST REVISION OF ALL NUMBERS SHOWN SHOULD BE USED.

2	8	MS2255	COVER, FILTER
1	7	MS2120-2	DOOR, FRONT, PA
1	6	MS2120-1	DOOR, FRONT, MAIN
2	5	MS2037	DOOR, REAR, MAIN/PA
1	4	MS1997	PANEL, TOP, 40K
10	3	HB101-6B	BUTTON, PLUG-7/8
3	2	MS2042	BRACKET, PA DOOR, REAR
3	1	MS2041	BRACKET, MAIN DOOR, REAR

SEE A5223 FOR STD TERMS.

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMB L
D	AX 214-2 ADDED TO U/O	5-11-72	20683	GE	Q	Q					
C	A2913 WAS A2912 A2913-2 WAS A2912-2	8/24/66	16794	CE	Q	Q					
B	Add PART No. CHART	3/23/66	16000	C.V	Q	Q					
A	DELE. IT. 1-3. CHG IT. 10-17 TO 1-8	10/5/65	14947	Zg.	Q						
Q	ORIGINAL RELEASE FOR PRODUCTION	1-19-65	Q		Zg.						
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK		
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005							FRACTIONS ± 1/64 ANGLES ± 0° 30'		STOCK SIZE		SKINS, 40K-PURCH PKG
TOLERANCES							CODE		MATERIAL		
									ENG COORD 12-22-64		Zg.
									DRAWN		1-19-65
									HEAT TREAT. SPEC.		Zg.
									CHECKED		FINAL APPROVAL
									FINISH & SPEC. NO.		A2913
									ELEC. DES. APP.		D
									MECH. DES. APP.		

SYMBOL(S)	ITEM NO.	USED TO MOUNT	QTY	REQ. PER UNIT	USED ON			A2919	Ø
					MODEL	ASS'Y. NO.	DATE		
				1	SWR-3K-RM	A2917	2/2/65		
W101	2								
C101,102	3								
	7	CA375(MS3102)	40						
		TM100-3	4						
	8	FS102-1	4						
	9	TM100-3	2						
	10	FS102-1	4						
	11	CA375(MS3102)	40						
		TM100-3	4						
	12	TM100-3	1						
	13	CA375(MS3102)	40	30	19	WL100-7	WIRE,ELEC,BUSS		
	14	TM100-3	4	19	18	WL100-4	WIRE,ELEC,BUSS		
	15	FS102-1	4	1	17	TM100-3	TERM. BD-BARR		
	16	J101	1	5	16	TE149-120	TERM.,LUG-NO.4		
		J106	1	4	15	SCFP0348BN4	SCR,MACH		
		J110	1	4	14	SCBP0440BN9	SCR,MACH		
		TM100-3	2	40	13	SCBP0440BN5	SCR,MACH		
TB101	17			1	12	PX337-3	INS,TERM. BD		
	18	MS3102 WRG	19	44	11	NTH0440BN8	NUT,PLN,HEX		
	19	MS3102 WRG	30	4	10	NTH0348BN6	NUT,PLN,HEX		
				2	9	MS154-1	PL,MTG,TERM. BD		
				4	8	LWS03MRN	WASH.,LK,SPLIT		
				44	7	LWE04MRN	WASH.,LK,EXT		
				1	6	LD402/MS1267	CHAS,MAIN		
				10	5	HB110-4	CAP.,PROT,DUST,NM		
				2	4	FS102-1	LOCKSPRING		
				2	3	CC100-16	CAP.,FXD,CER		
				1	2	CA375	WRG HARN,BRCHD		
					1	BS100	SOLDER,TIN ALY		

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL	
Ø	ORIGINAL RELEASE FOR PRODUCTION	2/25/65	Ø	28						THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK CHASSIS ASSEMBLY, MAIN		
X	EXPERIMENTAL RELEASE	2/25/65	X	28								
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE					MATERIAL					
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		TOLERANCES			TYPE & TEMPER	HEAT TREAT. SPEC.	ENG COORD 2-25-65	DRAWN 2-25-65	CHECKED <i>RIC</i>	FINAL APPROVAL A2919
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	Ø	

SYMBOL(S)	ITEM NO.	USED TO MOUNT	QTY	REQ. PER UNIT	USED ON			A2940	B
					MODEL	ASS'Y. NO.	DATE		
				1	HVRA-1	A2938	3/1/66		

1	HA102-2BN	4
2	TE1032BN5H to PX687	4
4	TE1032BN5H to PX687	4
	MS4264 to MS4262	4
5	HA102-2BN	4
9	MS4264 to MS4262	4
12	TE204-12R68E3	3
13	TE1032BN5H to PX687	4
14	TE1032BN5H & PX687	4
	to MS4262	4
15	MS4264 to MS4262	4
16	HA102-2BN	4
17	PX687 to MS4262	4
18	For CX115-2-80-102	3

3	18	TE204-12R58E3	INS STANDOFF
4	17	TE1032BN5H	POST,ELEC-MECH
4	16	SCHH1032BN8	SCR,MACH
4	15	SCBP1032BN10	SCR,MACH
4	14	SCBP1032BN6	SCR,MACH
4	13	SCBP1032BN5	SCR,MACH
3	12	SCBP0832BN6	SCR,MACH
2	11	SC139	SCR,EXT REL BODY
1	10	PX687	DUCT,AIR
4	9	NTH1032BN12	NUT,PLN,HEX
1	8	NP103-88	PL,IDENT,COML
1	7	MS4264	BRKT,ANGLE,FR
1	6	MS4262	PNL,FR
4	5	LWS10MRN	WASH.,LK,SPLIT
8	4	LWE10MRN	WASH.,LK,EXT
2	3	HA102-2BN	HDL,BOW
4	2	FW10HBN	WASH.,FLAT
4	1	CU139-2B	FRL,HDL

								REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL		
										THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK			
B	IT.18 WAS TE 204-12R68E3	7-25-66	16609	RME.	<i>QCS</i>	<i>MM</i>			STOCK SIZE	PANEL ASSEMBLY, FRONT			
A	COMPLETELY REVISED	3-17-66	15757	Sam	<i>QCS</i>	<i>MM</i>			MATERIAL				
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.				ENG COORD	<i>3/17/66</i>		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE									A2940	B
								FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.		

SYMBOL(S)	STEM NO.	USED TO MOUNT	QTY
-----------	----------	---------------	-----

E6401,6402	1		5
E6403,6404			
E6405			

REQ. PER UNIT	USED ON			A2943	A
	MODEL	ASS'Y. NO.	DATE		
1	HVRA-1	A2938	3/18/65		

1	2	LD1738/PX895	BD, MTG, CONT
5	1	AX220-2	INS, FDTHRU

								REQ. ITEM	PART NO.	<i>BUDETTI</i>	DESCRIPTION	SYMBOL		
											THE TECHNICAL MATERIEL CORP.			
											MAMARONECK. NEW YORK			
<i>A</i>	<i>CHGD. SYMBOLS ON U/T/M</i>	<i>2/25/64</i>	<i>15757</i>	<i>HCA</i>	<i>J.P. M</i>				STOCK SIZE		BOARD ASSEMBLY, CONTACT			
<i>Ø</i>	ORIGINAL RELEASE FOR PRODUCTION	<i>9/29/65</i>	<i>Ø</i>											
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.			MATERIAL					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE								ENG COORD	<i>d. Gabel</i>	<i>M. H. 6/30/65</i>		
										TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		TOLERANCES		CODE								
									FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	A2943	A	

SYMBOL(S)	ITEM NO.	USED TO MOUNT	QTY	REQ. PER UNIT	USED ON			A2952	Ø
					MODEL	ASS'Y. NO.	DATE		
				1	RAK-51	A2951	3/25/65		

W9001	1		
CP9001	3		
	5	TM100	4
	7	TM100	4
	10	TM100	4
TB9001	11		

1	11	TM100-22	TERM. BD-BARR
4	10	SCBP0440BN9	SCR, MACH
1	9	PX667	INS, CONN, RF
1	8	PX337-22	INS, TERM. BD
4	7	NTH0440BN8	NUT, PLN, HEX
2	6	MS154-1	PL, MTC, TERM. BD
4	5	LWE04MRN	WASH., LK, EXT
1	4	LD1791/MS4389	CHAS, ANT.
1	3	JJ213	ADPT, CONN, RF-BNC/QDS
1	2	EY102-22	GROM., RUB.
1	1	CA480-3-97	CBL ASSY, RF

								REQ. ITEM	PART NO.	PDSE	DESCRIPTION	SYMBOL
											THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
									STOCK SIZE		CHASSIS ASSEMBLY, ANTENNA	
Ø	ORIGINAL RELEASE FOR PRODUCTION	6/23/65										
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.			MATERIAL			
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE								3-25-65 ENG COORD	L. J. C. 6-22-65	M. H. 6/23/65
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	TOLERANCES	CODE				TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
												A2952
								FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	Ø

SYMBOL(S)	ITEM NO.	USED TO MOUNT	QTY
	2	HA102	4
LS101,102	5		
	6	TM102	4
	7	TM102	2
	8	HA102	4
	10	LS107	2
	12	TM102	4
	13	LS107	8
	14	TM102	1
R101,102	15		
	16	LS107	8
	17	HA102	4
	18	TM102	4
	19	NP103	4
TB101	20		
	21	LS107	8

REQ. PER UNIT	USED ON			A2966	Ø
	MODEL	ASS'Y. N .	DATE		
1	LSP-15	LSP-15	4/23/65		

8	21	LWE06MRN	WASH. ,LK,EXT
1	20	TM102-4	TERM. BD-BARR
4	19	SFB0256SN3	SCR,TAP. ,THD CTG
4	18	SCFP0440BN10	SCR,MACH
4	17	SCBP1032BN8	SCR,MACH
8	16	SCBP0632BN6	SCR,MACH
2	15	RV107T4	ATTEN,VAR
1	14	PX336-4	INS,TERM.BD
8	13	NTH0632BN8	NUT,PLN,HEX
4	12	NTH0440BN6	NUT,PLN,HEX
1	11	NP103-49	PLATE,IDENT-COML
2	10	MS3920	GRILLE,SPKR
2	9	MP123-3FB	KNOB
4	8	LWS10MRN	WASH. ,LK,SPLIT
2	7	MS154-1	PL,MTG,TERM.BD
4	6	LWE04MRN	WASH. ,LK,EXT
2	5	LS107-1	LDSPKR,PM,3X5
1	4	LD1789/MS4378	PNL,FRONT
2	3	HA102-2BN	HDL,BOW
4	2	CU139-2B	FRL,HDL
2	1	CA1048	WRG HARN, BRCHD

Ø	ORIGINAL RELEASE FOR PRODUCTION	4-30-65	C5L				
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE					
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE				

REQ. ITEM	PART NO.	POSE	DESCRIPTION	SYMBOL
STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK		
MATERIAL		LSP-15 FINAL ASSEMBLY		
TYPE & TEMPER	HEAT TREAT. SPEC.	4-27-65 ENG COORD	L. Gabul 4-27-65	MMHAY 5/4/65
FINISH & SPEC. NO.		DRAWN	CHECKED	FINAL APPROVAL
		ELEC. DES. APP. MECH. DES. APP.		A2966