


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	X	EXP. RELEASE	8-12-68		G.D.L.	
	Ø	ORIGINAL RELEASE FOR PROD.	10-11-68		R.G.	



SYMBOL SERIES 1000

Sheet to 9"

ASSEMBLY NOTES

- 1- TO MOUNT COMPONENTS, INSERT LEADS THROUGH PLATED THRU-HOLES.
- 2- CAUTION, WHEN APPLYING HEAT AND SOLDER TO LEAD AND FOIL.
- 3- CLEAN AND INSPECT AS PER SPEC. 6676.
- 4- FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A 4718.
- 5- USE SYMBOL NUMBERS FOR ASSEMBLY REFERENCE.

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X	7	BS100	SOLDER, TIN ALLOY	
3	6	NTH0440BN6	NUT, PLAIN HEXAGONAL	
3	5	LWEO4 MRN	WASHER, LOCK EXTERNAL	
3	4	FW 04 HBN	WASHER, FLAT	
3	3	SCHP0440BN4	SCREW, MACHINE	
1	2	MS 6004	STIFFENER, PRINTED CIRCUIT BD	
1	1	PC 462	PRINTED CIRCUIT BOARD	

O-POSE		LIST OF MATERIAL	
FINAL APPROVAL	DATE	THE TECHNICAL MATERIEL CORP.	
MECH. DES.	DATE	MAMARONECK, NEW YORK	
ELECT. DES.	DATE	ASSY PRINTED CIRCUIT BD	
CHECKED	DATE	AM AMPLIFIER	
DRAWN	DATE		

1	SME-6	
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
CODE	S 401-451	
NOTICE TO PERSONS RECEIVING THIS DRAWING		
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	DATE
TOLERANCES ON	DATE
DECIMALS .X ± .05	DATE
.XX ± .01	DATE
.XXX ± .005	DATE
FRACTIONS ± 1/64	DATE
ANGLES ± 0° 30'	DATE

MATERIAL	SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
FINISH	D	82679	A 4718	Ø
SCALE 2:1		SHEET OF		