


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

CA 166 D



WIRE LENGTHS ALLOW 1/2" EACH END FOR STRIPPING.
 - INDICATES NAIL AT END OF WIRE.
 X INDICATES NAIL AT CORNER OR BREAKOUT.

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X	6	BS100	SOLDER, TIN ALLOY	
X	5	CD101-1MW	CORD LACING, "NYLON	
7 1/2"	4	MWC 22 (7) U4	CABLE, INSULATED YELLOW	
8 1/2"	3	MWC 22 (7) U7	CABLE, INSULATED VIOLET	
9 1/4"	2	MWC 22 (7) U9	CABLE, INSULATED WHITE	
8 1/4"	1	MWC 22 (7) U5	CABLE, INSULATED GREEN	
THE TECHNICAL MATERIEL CORP.				
MAMARONECK, NEW YORK				
CABLE NO. 1 ASSEMBLY				
MATERIAL WEIGHT PER PC.			C.D.D. 5/19/53	
TYPE & TEMPER			DRAWN	
HEAT TREAT. SPEC.			ELEC. DES. APP.	
FINISH & SPEC. NO.			MECH. DES. APP.	
			Motto So	
			FINAL APPROVAL	
			CA 166 D	

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
D		ADDED IT. 6	3-8-57	17925			
C		CLERICAL CHANGE	8-24-64		WB		
B	1	WIRE LENGTHS CHAN.	4-15-53	2	PB.		
A	2	WIRE LENGTHS CHAN.	4-4-53	1	PB.		
	1	ITEM 3 - WAS BLUE, ITEM 4 VIOLET					

TOLERANCES		SCALE:	
ALL OTHERS	DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.	

SFP-2	121	A-448	5-19-53
MODEL	PROJECT NO.	ASS'Y. NO.	DATE
USED ON			