


USED ON MODEL TSTE 10K ASBY. NO. AX563 DATE 7 Jun 65		CA 1151 E					
PART NO.	LENGTH	ITEM-5	ITEM 1	ITEM 2	ITEM 3	ITEM 4	REPLACED BY
CA1151-1	107 IN.	PL177	MS3106A-MS5S	MS3057-8	WI121-9	MS3420-8A	CA1151-1-107
-2	15 IN.	PL218	MS3106A-143S	MS3057-6	WI112-2	MS3420-6A	CA1151-2-15
-3	7 1/2 IN.	PL218	MS3106A-143-15	MS3057-6	WI121-9	MS3420-6A	CA1151-3-72
-4	1 1/2 IN.	PL218	MS3106A-165-5	MS3057-6	WI112-2	MS3420-6A	CA1151-4-73
-5	7 1/2 IN.	PL218	MS3106A-165-5	MS3057-6	WI112-2	MS3420-6A	CA1151-5-72
-6	7 1/2 IN.	PL218	MS3106A-165-5	MS3057-6	WI112-2	MS3420-6A	CA1151-6-72
-7	7 1/2 IN.	PL218	MS3106A-165-5	MS3057-6	WI121-10	MS3420-6A, 8A	CA1151-7-72



TMC PART NO TO BE IN THE FOLLOWING FORM  
**CA1151-1-107**  
 configuration (see chart) length (in inches)

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
1	5	SEE CHART	
1	4	↑	
X	3	↑	
1	2	↑	
1	1	SEE CHART	
		CONNECTOR, PLUG, 3 PRONG, AC	
		BUSHING, CABLE	
		WIRE, RUBBER SHEATHED SERVICE CORD	
		CABLE CLAMP	
		CONNECTOR	
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
AC POWER CORD ASSY.			
3 CONDUCTOR			
TYPE & TEMPER		HEAT TREAT. SPEC.	
FINISH & SPEC. NO.			

SYN	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	APP.
E	-7 Item 2	12-28-68	12107			
D	UPPER DRAWING	7-7-67	18373	L.A.K.		
C	ON CHART CA1151-4-5	2-23-67	17839	C.O.L.		
B	ADD TO CHART ITEMS 1-2, 3, 4	7-21-66	16580	R.M.E.		
A	ORIGINAL RELEASE	5/26/66				

SCALE: Do Not Scale

TOLERANCES: ± 0.01

ANGLES: ± 0° 30'

DECIMALS: ± 1/64

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

FRACCTIONS: ± 1/64

ANGLES: ± 0° 30'

DECIMALS: ± 0.01

THE TECHNICAL MATERIEL CORP.  
 MAMARONECK, NEW YORK  
 AC POWER CORD ASSY.  
 3 CONDUCTOR  
 DRAWN: [Signature]  
 CHECKED: [Signature]  
 FINAL APPROVAL: [Signature]  
 CA 1151  
 E