


REVISIONS						
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD
		ORIGINAL RELEASE FOR PROD	12/13/65			



CA1200

FROM	TO	REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
		X	16	BS100	SOLDER, TIN ALLOY	
		X	15	CD101-1MW	CORD, NYLON, LACING	
2	3		14	RG174/U	CABLE, RF	
6	7		13	RG174/U	CABLE, RF	
2	5		12	MWC22(7)UO	WIRE, ELEC, INSULATED	
5	7		11			
1	2		10			
2	3		9			
7	8		8			
6	7		7			
4	8		6			
4	6		5			
3	5		4			
1	4		3			
3	5		2			
5	6		1	MWC22(7)U1	WIRE, ELEC, INSULATED	

UNLESS OTHERWISE SPECIFIED WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN BY CATEGORY.

- ALL R.F. CABLES
- ALL SHIELDED CABLES
- ALL OTHERS

SPACE LACING APPROXIMATELY 3/4" APART.

THIS SYMBOL DENOTES END OF INSULATION AND NAIL DRIVING POINT. WIRE MUST BE STRIPPED 3/4" BEYOND THIS POINT AND TINNED 1/2" UNLESS OTHERWISE SPECIFIED.

THE ABOVE SYMBOL DENOTES END OF SHIELD, WHICH SHOULD BE TERMINATED AS SHOWN, LEAVING EXCESS SHIELDING AS A PIGTAIL. TIN PIGTAIL 1/4 INCH.

NOTES

RTO-1		
QTY./UNIT	MODEL USED ON	ASSY. NO.
SCALE 1:1	CODE	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

MATERIAL		THE TECHNICAL MATERIEL CORP.	
FINISH		MAMARONECK, NEW YORK	
TITLE		WIRING HARNESS, BRANCHED	
DRAWN	DATE	FINAL APPROVAL	DATE
H. AUSTIN	12-13-65	<i>Al Hay</i>	12/14/65
CHECKED	DATE		
<i>HO</i>	12-20-65		
ELECT. DES.	DATE		
<i>A. Duddles</i>	12-20-65		
MECH. DES.	DATE		

H
G
F
E
D
C
B
A

H
G
F
E
D
C
B
A