


REVISIONS							
E.M.N.O	DRAFT	CHKD	ZONE	LTR	DESCRIPTION	DATE	APPROVED
				X	EXP RELEASE	3/24/71	R27
				Ø	ORIGINAL RELEASE FOR PRODUCTION	10/14/11	



- ITEM# (13)
- BREAKOUT (13)
- PIN# (3)
- LUG (2)

1	TFP-1K	
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
CODE		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON
 DECIMALS .X ± .05
 .XX ± .01
 .XXX ± .005
 FRACTIONS ± 1/64
 ANGLES ± 0° -30'

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
FINAL APPROVAL DATE 23 Sept 71				
MECH. DES. DATE 23 Sept 71				
ELECT. DES. DATE 23 Sept 71				
CHECKED DATE				
DRAWN DATE 23 Sept 71				
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
WIRING, HARNESS BANDSWITCH				
MATERIAL		SIZE	CODE IDENT NO.	DWG NO.
FINISH		D	82679	CA1629
SCALE				ISSUE
SHEET				OF

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

REQ	ITEM	PART NUMBER	BREAKOUT		DESTINATION OR DESCRIPTION	
			FROM	TO	FROM	TO
1	LWC26(7) U1	1	J401	PIN A	S401A FRONT POS 8	
2	↑ U2	1	↑	B	↑ B REAR	↑ 10
3	U3	1		C	B REAR	9
4	U4	1		D	A FRONT	10
5	U5	1		E	A FRONT	11
6	U6	1		F	↓ A FRONT	↓ 12
7	LWC26(7) U7	1		G	S401A FRONT POS 1	
8	LWC26(7) U8	1		H	S401B REAR POS 6	
9	LWC26(7) U9	1		J	S401 B REAR POS 5	
10	LWC26(7) U90	1		K	XK401 PIN 8	
11	RG 174/U	1		L	DC401 FWD	
12	SHIELD OF ITEM 11	1		M	DC401 GND	
13	RG 174/U	1		N	DC401 REFL	
14	SHIELD OF ITEM 13	1	J401	PIN P	DC401 GND	
15	LWC26(7) U0	4	A401	E1	XK401 GND	
16	LWC26(7) U90	4	↑	E2	S401C REAR POS 1	
17	↑ U91	4		E3	↑	↑ 2
18	U92	4		E4		3
19	U93	4		E5		4
20	U94	4		E6		5
21	U95	4		E7		6
22	U96	4	↓	E8	↓ REAR	↓ 7
23	U98	2	A401	PIN 5	S401C FRONT POS 4	
24	LWC26(7) U97	2	XK401	PIN 2	S401A FRONT POS 6	

REQ	ITEM	PART NUMBER	BREAKOUT		DESTINATION OR DESCRIPTION	
			FROM	TO	FROM	TO
	25	MWC20(7)U9	2	5	XK401 81N3	S401 FRONT POS3
	26	MWC20(7)U0	1	2	S401 81N2	XK401 GND
	27	MWC20(7)U90	1	2	J401 Pin R	XK401 Pin 1
	28	LWC26(7)U98	1	2	J401 Pin Q	XK401 Pin 5
	29	LWC26(7)U0			WIRE, ELEC, INS	
	30	WL103-5			BRAID, WIRE, FLAT	
1	31	M53102A24-28P			CONN, RECP, M/L Z4/C	J401
2	32	TE191-R			LUG, CRIMP	
	33	QX830-12-1			SLV, SHR L, BLK	
	34	CD101-1/MW			CORD, NYLON, LACING	
	35	BS100			SOLDER, TIN, ALLOY	
5	36	LAI01			BND MKR, CBL	
	37	LWC26(7)U91	1	7	J401 Pin S	A402 Term 2
	38	RG-174/U	1	7	J401 Pin T	A402 Term 3
2	39	Shield of IT. 38	1	7	J401 Pin U	A402 GND