




REQ	ITEM	PART NUMBER	BREAKOUT		DESTINATION OR DESCRIPTION			
			FROM	TO	FROM	TO		
	1	MWC16(19)U 0	2	1	J1	Pin A	SZ	LINE
	2	0	1	4	SZ		JZ	Pin X
	3	9	2	1	J1	Pin C	SZ	LINE
	4	9	1	4	SZ		JZ	Pin Z
	5	5	2	3	J1	Pin B	GND	
	6	MWC16(19)U 5	3	4	GND		JZ	Pin Y
	7	MWC22(7)SJ 91	4	5	J2	Pin M sh. N	J3	Tip sh. SLEEVE
	8	MWC22(7)U 1	4	7	J2	Pin A	S1	Term 1
	9	2	4	7	J2	Pin B	S1	Term 2
	10	3	4	7	J2	Pin C	S1	Term 3
	11	4	4	7	J2	Pin D	S1	Term 4
	12	5	4	7	J2	Pin E	S1	Term 5
	13	0	4	7	J2	Pin F	S1	Upper Term 1
	14	6	4	3	J2	Pin G	TBI	Term 5
	15	7	4	5	J2	Pin H	RI	
	16	8	4	3	J2	Pin J	TBI	Term 1
	17	9	4	3	J2	Pin K	TBI	Term 2
	18	90	4	3	J2	Pin L	TBI	Term 3
	19	90	4	6	J2	Pin L	XDS 6	
	20	92	4	3	J2	Pin P	TBI	Term 4
	21	92	4	6	J2	Pin P	XDS 7	
	22	93	4	6	J2	Pin Q	XDS 5	
	23	94	4	6	J2	Pin R	XDS 4	
	24	95	4	6	J2	Pin S	XDS 3	
	25	MWC22(7)U 96	4	6	J2	Pin T	XDS 2	



REQ	ITEM	PART NUMBER	BREAKOUT		DESTINATION OR DESCRIPTION		
			FROM	TO	FROM	TO	
	26	MWC22(7)U97	4	6	J2	Pin U	XDS 1
	27	93	3	6	CR1		XDS 7
	28	0	6	6	XDS 5		XDS 4
	29	0	6	6	XDS 4		XDS 3
	30	0	6	6	XDS 3		XDS 2
	31	0	6	6	XDS 2		XDS 6
	32	0	6	6	XDS 6		XDS 1
	33	0	6	5	XDS 1		R1 GND
	34	0	4	4	J2	Pin V	GND
	35	MWC22(7)U0	4	4	J2	Pin W	GND
	36						
	37						
	38						
1	39	TE104-2			TERM LUG, LKG		
1	40	M53102A16S-5P			CONN, RECP, ML 3/C		J1
1	41	M53102A24-28S			CONN, RECP, FHL 24/C		J2
	42	PX100-1-106			INS, SLUG, BLK		
2	43	LA101			BND, MKR, CBL		
	44	PX830-12-1			INS, SLUG, SHRINK		
	45	BS100			SOLDER, TIN ALLOY		
	46	CD101-1MW			CORD, NYLON, LACING		
	47						
	48						
	49						
	50						