


CA-697

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.



THIS SYMBOL DENOTES END OF INSULATION & NAIL DRIVING POINT WIRE MUST BE STRIPPED 1/2" BEYOND THIS POINT & TINNED 3/8" UNLESS OTHERWISE SPECIFIED.

THIS EQUALS THIS

SYMBOL NOTES ~

○ DENOTES ITEM NOS

⬡ DENOTES LUGS

OBSOLETE
 INCORPORATED ON CA-700
 8-23-62
AG

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK

X	7	BS-100	SOLDER, SOFT		
X	6	CD-101-1-MW	CORD LACING, NYLON	BLACK	
2	5	TE-156-32953	LUG, SOLDERLESS		
1	4	PL-105-1	CONNECTOR, 2 PRONG	P3007	
42"	3	PX-100-1-187	SLEEVING, INSULATION	BLACK	
44"	2	MWC22(7)U8	WIRE, ELECTRICAL	GREY	
44"	1	MWC22(7)U9	WIRE, ELECTRICAL	WHITE	
REQ.	ITEM	PART NO.	J STRUMER	DESCRIPTION	SYMBOL
STOCK SIZE			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
MATERIAL			CABLE ASSEMBLY		
			METER INTERCONNECT (3000 DECK)		
		G.D.L.	<i>DM</i>	<i>AG</i>	
TYPE & TEMPER		HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
			<i>MA</i>	<i>MA</i>	CA-697 A
FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.	

A	OBSOLETE SEE NOTE	8-23-62	7110	SG	<i>MA</i>	<i>MA</i>
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED:		SCALE: DO NOT SCALE				
DIMENSIONS ARE IN INCHES		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.				
TOLERANCES ON FRACTIONS ± 1/64 DECIMALS ± .005 ANGLES ± 1/2°		REMOVE ALL BURRS AND SHARP EDGES				
1	HFS-1	3000				8-15-62
REQ. PER UNIT	MODEL	SECTION	ASS'Y. NO.	DATE		
	USED ON					