



REVISIONS						
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD
~	B	REVISED & REDRAWN	6-18-63	9329		
~	C	ITEM 23 ADDED, ITEM 22 WAS PX-104-1-106	7-10-63	9909		
C6	D	BREAKOUT (1), PIN "J" WAS PIN "G"	11/21/63	10650		
H-6	E	ITEM 11 CALLOUT WAS "TO J-108"	12-19-66	17508	RME	



NOTES:

- DENOTES ITEM No'S
- △ DENOTES PINS ON ITEM 19
- DENOTES WIRE MARKERS
- THIS SYMBOL DENOTES END OF INSULATION AND NAIL DRIVING POINT. WIRE MUST BE STRIPPED 3/4" BEYOND THIS POINT AND TINNED 1/2" UNLESS OTHERWISE SPECIFIED.
- WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN. SPACE LACING APPROXIMATELY 3/4" APART.

BREAK OUT POINT	REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
	0-6	23	PX-100-1-375	INSULATION SLEEVING, SIZE 3/8	
	X	22	PX-100-1-106	INSULATION SLEEVING, SIZE 10	
	1	21	CU-102-2	CLAMP, "G" TYPE	
	2	20	CU-102-3	CLAMP, "G" TYPE	
	1	19	PL-189-95	CONNECTOR, PLUG	
	21	18	LA-101	MARKER, WIRE	
	X	17	CD-101-1-MW	CORD, LACING, NYLON	
	X	16	BS-100	SOLDER, SOFT	
	1	15	EY-102-14	GROMMET, RUBBER	
5	6	7"	14	MWC22(7) U98	WH/GRAY
3	4	10 1/2"	13	U9	WHITE
2	4	15"	12	U96	WH/BLU
2	4	12"	11	U90	WH/BLK
4	5	10 1/4"	10	U5	GRN
4	6	12 3/4"	9	U97	WH/VIO
3	6	16 1/2"	8	U3	ORN
1	6	21 1/2"	7	U2	RED
1	4	17 1/2"	6	U92	WH/RED
1	3	14 1/2"	5	U6	BLU
1	4	17 3/4"	4	U91	WH/BRN
1	3	13 1/4"	3	U0	BLK
1	4	18"	2	U94	WH/YEL
1	4	18 1/2"	1	MWC22(7) U95	WH/GRN



1	TRX-1	6-10-63
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE 1:1	CODE	

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	
DRAWN CHECKED	DATE DATE	FINAL APPROVAL	DATE
ELECT. DES. MECH. DES.	DATE DATE	CA-719	7-8-63
		SHEET	REV. LTR.

NOTES

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

THE TECHNICAL MATERIEL CORP.
MAMARONECK, NEW YORK

TITLE: WIRING HARNESS, BRANCH POWER CHASSIS

CA-719