


CA-778

REVISIONS					
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD APPD
A	REDRAWN & REVISED				
0	ORIGINAL RELEASE FOR PRODUCTION	4-24-64		SRG	

	13	LA-101-29 THRU 36	WIRE MARKERS	
	12	BS-100	SOLDER, SOFT	
	11	CD-101-1-MW	CORD, LACING	BLACK
	10	PX-100-1-294	SLEEVING, INSULATION	BLACK
8	9	TE-120-2	LUG, SPADE	
	8	MWC20(7)B91	CABLE, INSULATED, FIBERGLASS	WH/BRN
	7	93		WH/ORN.
	6	5		GREEN
	5	95		WH/GRN
	4	3		ORANGE
	3	96		WH/BLEU
	2	6		BLUE
	1	MWC20(7)B2	CABLE, INSULATED, FIBERGLASS	RED

THIS SYMBOL DENOTES END OF INSULATION → THIS EQUALS THIS
 & NAIL DRIVING POINT. WIRES MUST BE STRIPPED 3/4" BEYOND THIS POINT & TINNED 1/2" UNLESS OTHERWISE SPECIFIED.

WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN. SPACE LACING APPROX. 3/4" APART.



NOTES

~ SYMBOL NOTES ~

- DENOTES ITEM NO.'S.
- DENOTES LUGS
- DENOTES TAGS

1	GPT-200K	AR-146
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE	CODE	
	A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

F. BUDETTI		LIST OF MATERIAL			
MATERIAL		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
FINISH		TITLE CABLE ASS'Y., RETUNE RELAY JUMPER (RELAY A)			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN <i>E. Jansen</i> CHECKED <i>M. G.</i>	DATE 4-24-63 DATE 2-7-64	FINAL APPROVAL <i>RDC</i>	DATE
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	ELECT. DES. <i>D.B.H.</i>	MECH. DES. <i>S.D.</i>	DATE 2/12/64 DATE 2-7-64	SHEET CA-778 REV. LTR. 0