


| REVISIONS | | | | | | | |
|-----------|-----|---|----------|------------|-------|--------|------|
| ZONE | SYM | DESCRIPTION | DATE | E.M.N. NO. | DRAFT | CHKD | APPD |
| | X | EXPERIMENTAL RELEASE | 9-13-66 | | | HLA | |
| | Ø | ORIGINAL RELEASE FOR PRODUCTION | 9-19-66 | | | RME | |
| | A | K1 WAS 2PDT & CIRCUITRY REVISED C2 ADDED | 10-27-66 | 17133 | | WHD | JCC |
| | B | R1,2 WERE 220Ω, 1W; R3, R4, R5 & R10 WERE 680 R6, R7, R8 WERE 100; K1, 6 WERE 700; K2, 3, 5 WERE 485 | 1-12-67 | 17663 | | WHD | MAA |
| | C | ALL DIODES WERE 1N270 | 7-6-67 | 18334 | | L.A.K. | JCC |



| SYMBOL | VOLTAGE | CURRENT | RESISTANCE |
|------------|---------|---------|--------------|
| K1, K6 | 24VDC | — | 485 EA. COIL |
| K2, K3, K5 | 24VDC | — | 700 |
| K4 | 12VDC | — | 185 |

UNLESS OTHERWISE SPECIFIED
 1. ALL RESISTANCE VALUES ARE IN OHMS, 2W.
 2. ALL DIODES ARE 1N4245

| |
|------|
| C2 |
| CR11 |
| K6 |
| Q1 |
| R10 |

NOTES

| LRCA-1 | | ASS'Y. NO. |
|------------|---------------|------------|
| Q'TY./UNIT | MODEL USED ON | |
| SCALE | CODE | |

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REF: PC286

| REQ'D. | ITEM | PART NUMBER | DESCRIPTION | SYMBOL |
|---|------|--|-----------------|-------------------------------|
| F. EATON LIST OF MATERIAL | | | | |
| MATERIAL | | THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK | | |
| FINISH | | TITLE DIAGRAM, SCHEMATIC RELAY ASSEMBLY | | |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES | | DRAWN H. AUSTIN | DATE 9-13-66 | FINAL APPROVAL [Signature] |
| DECIMALS .X ± .05 .XX ± .01 .XXX ± .005 | | TOLERANCES ± 1/64 ANGLES ± 0° 30' | | MECH. DES. [Signature] |
| | | DATE 9/13/66 | | DATE 9/17/66 |
| | | SHEET CK1193 | | REV. LT C |

CK1193