




REVISIONS					
ZONE	LTR	DESCRIPTION	DATE	DRAFT	CHK'D APPD



- LEGEND**
- BCT — BATTERY CHARGER TIMER
  - BCX — BATTERY CHARGER AUXILIARY RELAY
  - D5 — RECTIFIER
  - ECT — EQUALIZING CHARGE TIMER
  - PX — BATTERY CHARGER POWER RELAY
  - R5 — RESISTOR
  - TB5 — TERMINAL BOARD
  - TVR — TEMPERATURE COMPENSATED VOLTAGE SENSING RELAY
  - TX4 — TRANSFORMER



NOT WIRED THIS WAY.

VOID  
2/22/73  
RMF  
SEE CK1810

NEW DRAWING  
OK  
CRB  
5 APR 73

QTY REQ	QTY REQ	QTY REQ	ITEM	PART NO.	MANUFACTURER	DESCRIPTION	SYM

PARTS LIST

INTERPRET DRAWING PER LISTED DOCUMENTS DIMENSIONING MIL - STD - 8 SURFACE ROUGHNESS MIL - STD - 10 ABBREVIATIONS MIL - STD - 12 ELECTRONIC SYMBOLS MIL - STD - 15 WELDING SYMBOLS JAN - STD - 19	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES REMOVE ALL BURRS AND SHARP EDGES TOLERANCES ON FRACTIONS ANGLES DECIMALS MATERIAL FINISH	DRAWN FERNANDEZ CHECKED D. ENG. P. ENG. CRB P. MGR. CHIEF, ENG. DEPT.	DATE 2/3/73 DATE DATE 6 Feb 73 DATE	THE TMC SYSTEMS AND POWER CORPORATION SPRINGFIELD, VIRGINIA BATTERY CHARGER WIRING DIAGRAM 32VDC - 12A OUTPUT	SIZE D CODE IDENT NO 24146 DWG. NO. CK1811 SCALE	REV SHEET 1 OF 1
---	---	--	--	--	---	---------------------

AX-728  
USED ON APPLICATION

**NOTICE TO PERSONS RECEIVING THIS DRAWING**  
 THE TMC SYSTEMS AND POWER CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TMC SYSTEMS AND POWER CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.