


REVISIONS							
E.M.N.O	DRAFT	CHKD	ZONE	LTR	DESCRIPTION	DATE	APPROVED
				XI	* NOTE ADDED, R24 WAS 1K, R65 WAS 1.2K	9-24-76	
					ORIGINAL RELEASE FOR PROD.	10-20-76	*
21510	GDL			A	C3, C9, C18 VALUES, 0.01 DEL. - C7, C16, C21 VALUES, 0.1 DEL. R23, R49, R73 VALUES, 1.5V DEL. R26, R50, R74 VAL. 12K DEL. R34, R54 R76 (27K) DEL. C22 ADD.	2-11-77	
21554				B	CHG: C22, FR - 10uF TO 25uF AT 15V.	5-25-77	



— UNLESS OTHERWISE SPECIFIED —
 ALL DIODES ARE IN645
 ALL CAPACITORS ARE IN uF
 ALL RESISTOR VALUES ARE IN OHMS 1/4 WATT
 FACTORY ADJUSTMENTS
 * SUGGEST USE 15uF CAPACITOR (C13)
 MAY BE NECESSARY TO ADJUST
 VALUE -
 (R52)
 * VALUE MAY HAVE TO VARY FROM 220Ω TO 1.5K

LAST SYMBOL	MISSING SYMBOL
C22	C16, C3, C7, C9, C14
CR39	C18, C21
K1	
L2	
Q11	R25, R26, R33, R34, R49
R76	R50, R51, R54, R73, R74
Z3	R75, R76

QTY / UNIT	MODEL USED ON	ASS'Y NO.
1	ATSA-3	A5639
APPLICATION		
CODE		
NOTICE TO PERSONS RECEIVING THIS DRAWING		
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

REF. SYMBOL	QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
A105					
LIST OF MATERIAL					
F. BUDETTI					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		FINAL APPROVAL		DATE	
		* [Signature]			
TOLERANCES ON		MECH. DES.		DATE	
DECIMALS		ELECT. DES.		DATE	
.X ± .05		CHECKED		DATE	
.XX ± .01		V.P.		10/20/76	
.XXX ± .005		DRAWN		DATE	
		GDL		8-26-76	
MATERIAL		FINISH		SIZE CODE IDENT NO. DWG NO.	
				D 82679 CK 2128	
				SCALE	
				SHEET OF	
				ISSUE	
				B	