


CL-179 A

USED ON		MODEL	ASSY. NO.	DATE
REQ. PER. UNIT	2	RTF		
	2	RTF-2		
	1	AT-100		
	1	AX-137		

10-32 Thd. Mounting Studs (2)

- L - 38 μhy ± 5%
- Q - 160 or greater
- F - 2.5 Mc (Test Freq.)



NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used in manufacture anything shown herein without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:

THE TECHNICAL MATERIEL CORPORATION  
MAMARONECK, NEW YORK

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		COIL, RF, FIXED, 38 μhy	
		16 7/9/59	
		DRAWN	
		CHECKED	
		TYPE & TEMPER	
		HEAT TREAT. SPEC.	
		FINISH & SPEC. NO.	
		ELEC. DES. APP. MECH. DES. APP.	
		FINAL APPROVAL	
		CL-179	A

DATE 7-6-71 CH. NO. 20416 DRAFTS RZ CHECKER CW ENG. APP. 2A-1163

TOLERANCES  
DEC. DIM. ± All Dimensions  
FRAC. DIM. ± Approx.  
ANGULAR DIM. ±

SCALE: MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES