


REQ. PER. UNIT	MODEL	USED ON
	AO-101	ASS'Y. NO. A0-102
		DATE
		CL-207 B

ELECT. SPECS.


Total Ind - .95 - 1.01 ω hy
 Q at test Freq - 90 or Greater
 Freq. (Test) - 25 mc
 MECH. SPECS.

Wire - #30 Magnet Wire
 Core - Powdered Iron
 Form - Phenolic



Color Code Dot
 (Orange)

8-32 threaded Mtg. Bushing x 1/4 Lg.
 8-32 threaded tuning slug.



Hardware Supplied -

- One ea. 3-48 Hex Locking Nut } Brass,
- One ea. 8-32 Hex Mtg. Nut } Nickel
- One ea. #8 Internal Lockwasher } Plate

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		COIL, RF, TUNED, 8 MC	
B	Q WAS 100		
A	Q WAS 115		
ISSUE ITEM	CHANGED FROM		
TOLERANCES			
DEC. DIM. \pm			
FRAC. DIM. \pm			
ANGULAR DIM. \pm			
DATE	CH. NO.	DRAFTS	NO. NPL
7-22-66	16619	RNE	
4-6-64	11159	A.M.	
		CHECKER	ENG. APP.
		J.W.D.	
SCALE:		2A-1445-4	
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES			
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP.	
		CL-207 B	