




|               |         |
|---------------|---------|
| REQ. PER UNIT | 1       |
| USED ON       | CL378 B |
| MODEL         | CMRA-1  |
| ASSY. NO.     | A4216   |
| DATE          | 5-3-65  |




ELECTRICAL SPECS.  
(W/O SLUG)  
OPERATING FREQUENCY:  
INDUCTANCE @ 350 KC  
PRIMARY: 1.25 MH ± 0.10 MH

"Q" (PRIMARY) @ 350 KC Min. 40

MECHANICAL SPEC.

COLOR CODE: **RED**  
CASE: COPPER CAN  
CASE FINISH: TIN-PLATED  
QUANTITY TERM: 4  
MATERIAL: CORE & SLUG: POWDERED IRON



|  |                         |          |      |  |        |
|--|-------------------------|----------|------|--|--------|
| REQ. ITEM  | 1                       | PART NO. | POSE | DESCRIPTION  | SYMBOL |
| STOCK SIZE   |                         |          |      | THE TECHNICAL MATERIEL CORP.<br>MAMARONECK. NEW YORK |        |
| MATERIAL   |                         |          |      | COIL, RF, ADJ.                                       |        |
| TYPE & TEMPER  |                         |          |      | SYN-A-L2   |        |
| HEAT TREAT. SPEC   |                         |          |      |  |        |
| FINISH & SPEC. NO.   |                         |          |      |  |        |
| REQ. NO.   | 17375                   | RME      | Q160 |  |        |
| DATE   | 12-5-66                 | 16750    | Q15  |  |        |
| CH. NO.  | X                       | ALLA     |      |  |        |
| DATE   | 5-3-65                  |          |      |  |        |
| SCALE  |                         |          |      |  |        |
| DESCRIPTION  | EXPER. RELEASE          |          |      |  |        |
| OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES |                         |          |      |  |        |
| TOLERANCES   | A                       |          |      |  |        |
| FRACTIONS  | ± 1/64 ANGLES, ± 0° 30' |          |      |  |        |
| DECIMALS   | .XX ± .01 .XXX ± .005   |          |      |  |        |
| CODE   | 2A4262                  |          |      |  |        |
| CHECKER  | ALLA                    |          |      |  |        |
| ENG. APP.  | [Signature]             |          |      |  |        |
| FINISH & SPEC. NO.   | CL378 B                 |          |      |  |        |
| ELEC. DES. APP.  | [Signature]             |          |      |  |        |
| MECH. DES. APP.  | [Signature]             |          |      |  |        |