


| | | | |
|----------------|--------|----------|---------|
| REQ. PER. UNIT | | USED ON | |
| 1 | PS-12A | ASSY. N. | DATE |
| | | SPT-10K | 2-19-55 |
| | | DJ-102 | |



10/11/55

| | | | |
|------------------------------------------------------------------------------------------------------------------------------------|----------|------------------------------|-------------------|
| REQ. ITEM | PART NO. | DESCRIPTION | SYMBOL |
| | | THE TECHNICAL MATERIEL CORP. | |
| | | MAMARONECK, NEW YORK | |
| | | FRONT PANEL | |
| | | DRILLING TEMPLATE PS-12A | |
| ISSUE | ITEM | CHANGED FROM | DATE |
| | | | |
| TOLERANCES | | | |
| SCALE: | | | |
| MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES | | | |
| DEC. DIM. ± | | | |
| FRAC. DIM. ± | | | |
| ANGULAR DIM. ± | | | |
| | | TYPE & TEMPER | HEAT TREAT. SPEC. |
| | | DRAWN | CHECKED |
| | | al m | [Signature] |
| | | | FINAL APPROVAL |
| | | | DJ-102 |
| | | | ELEC. DES. APP |
| | | | MECH. DES. APP |

REQ. PER. UNIT

USED ON

DATE

ASS'Y. NO.

MODEL

DATE


SP-12A

DJ-103

31 Drill
Use #6 Self Tapping screws
3 Rows

Front Panel


Re Face Only



Use existing holes on Back Flange
Use #6 Hardware

| REQ. ITEM | CHANGED FROM | DATE | CH. NO. | DRAFTS | CHECKER | ENG. APP. | REG. ITEM | PART NO. | DESCRIPTION | SYMBOL | |
|------------------------------------------------------------------------------------------------------------------------------------|--------------|------|---------|--------|---------|-----------|---------------------------------|----------|------------------------------|---------|----------------|
| | | | | | | | | | THE TECHNICAL MATERIEL CORP. | | |
| | | | | | | | | | MAMARONECK, NEW YORK | | |
| | | | | | | | | | Drill Template | | |
| | | | | | | | | | Bottom Cover, PS-12A | | |
| TOLERANCES | | | | | | | TYPE & TEMPER | | DRAWN | CHECKED | FINAL APPROVAL |
| SCALE: | | | | | | | HEAT TREAT. SPEC. | | | | |
| MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES | | | | | | | MATERIAL | | | | |
| DEC. DIM. ± | | | | | | | FINISH & SPEC. NO. | | | | |
| FRAC. DIM. ± | | | | | | | ELEC. DES. APP. MECH. DES. APP. | | | | |
| ANGULAR DIM. ± | | | | | | | DRAWN | | | | DJ-103 |

| | | | |
|--------------------|----------------|----------------------|-----------------|
| REQ. PER UNIT 1 | USED ON | | DATE 5-13-64 |
| | MODEL HFR-1 | ASSY. NO. KIT-184 | |
| | | | DJ-106 |



NOTE:
METAL STAMP 1/8" HIGH GOTHIC

| REQ. ITEM | PART NO. | DESCRIPTION | SYMBOL |
|-----------|------------------|-------------------------------------------------------------------------------------------------------------|--------|
| | .040 | THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK | |
| | ALUMINUM | TEMPLATE, DRILLING | |
| | 5052 H32 | MATERIAL | |
| | S404 YEL IRIDITE | FINISH & SPEC. NO. | |
| | 42464 | DATE | |
| | 0 | C.H. NO. | |
| | A.M. | DRAFTS | |
| | 1:1 | SCALE | |
| | | DESCRIPTION | |
| | | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES | |
| | | TOLERANCES | |
| | | FRACTIONS | |
| | | DECIMALS | |
| | | ANGLES | |
| | | CODE | |
| | | TYPE & TEMPER | |
| | | HEAT TREAT. SPEC. | |
| | | CHECKED | |
| | | DRAWN | |
| | | M. TANTILLO 4-13-64 | |
| | | FINAL APPROVAL | |
| | | ELEC. DES. APP. | |
| | | MECH. DES. APP. | |
| | | DJ-106 | |