




REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.O.	DRAFT	CHKD APPD
		X2 DIMENSION UPDATED	3-27-86		CDL	
		X3 1/16 WAS 125/32 1 9/16 WAS 17/32	3-30-89		S.B.L	



HOLES -
 A - DRILL & TAP FOR 6-32 THD. 8 REQ'D (ONLY 3/16 DEEP)
 B - 7/16 D. THRU C' BORE 3/4 D 3/8 DEEP 2 REQ'D

DO NOT DRILL THRU



- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
 2. ALL ANGULAR BENDS 90 DEGREES.
 3. REMOVE ALL BURRS AND SHARP EDGES.
 4. MOUNT INSERTS AFTER FINISHING.

QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
	CODE	

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON

DECIMALS	FRACTIONS
.X ± .05	± 1/64
.XX ± .01	ANGLES
.XXX ± .005	± 0° -30'

MATERIAL 1/2 THK ALUM 6063 T6
 FINISH S120 BLACK ANODIZE

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
FINAL APPROVAL		DATE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK HEAT SINK REW OUTPUT (A5850)	
MECH. DES.		DATE		
ELECT. DES.		DATE		
CHECKED		DATE		
DRAWN		G.D.L.	DATE	
SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
C	82679	HD 138	X3	
SCALE			SHEET	OF