

5

4

3



2

1

REVISIONS							
EMN NO.	DRAFT	CHKD	ZONE	LTR	DESCRIPTION	DATE	APPROVED
					ORIGINAL Release	9-15-80	

BEFORE MODIFICATION

AFTER MODIFICATION



ORIGINAL MS-2983-6 REMOVED AND REPLACED WITH BRAID WL-103-1

WL 103-1

PURPOSE OF THIS MODIFICATION IS TO INCREASE RELIABILITY OF NORMAL SWITCH CLOSURE BY RELEASING SPRING TENSION CREATED BY ORIGINAL BERYLLIUM CONNECTIONS.

MECHANICAL AND ELECTRICAL TEST ARE TO BE PERFORMED AS PER ORIGINAL SPECIFICATIONS.

NOTE: SOFT SOLDER ENDS ONLY. HEAT SINK MUST BE USED TO PREVENT SOLDER WICKING AND TRAVELING TO UNWANTED AREAS OF BRAID.

PAINT TO BE DONE TO EXACT SPECIFICATION
S114- ZINCCOHROMATE PRIMER
S115- TMC SMOOTH GREY ENAMEL

RF CONN SERIES		
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
CODE		

NOTICE TO PERSONS RECEIVING THIS DRAWING
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS TOLS. 1/64 ANGLES 0°-30'
MATERIAL	
FINISH	

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
LIST OF MATERIAL				
FINAL APPROVAL [Signature] DATE 9-15-80				
MECH. DES.				
ELECT. DES.				
CHECKED				
DRAWN [Signature] DATE 9-15-80				
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
ENGR. MODIFICATION SW 310				
SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
B	82679	ID 446	[Signature]	
SCALE			SHEET	OF

5

4

3

2

1