



IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

10 1/2



NOTE
 "MASTER OSCILLATOR FREQUENCY" TO BE 3/16" HIGH GOTHIC, WHITE FILLED
 "OPERATING RANGE" TO BE 1/8" HIGH GOTHIC, RED FILLED - "2000 TO 4000 KCS" TO BE 1/8" HIGH GOTHIC, RED FILLED.
 ALL OTHER LETTERS AND NUMERALS TO BE 1/8" HIGH GOTHIC, WHITE FILLED

LETTER HEIGHT	DEPTH OF STROKE	WIDTH OF STROKE
3/32	.010	.015
1/8	.010	.020
3/16	.010	.025



ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
F	1	CORNER RADIUS ADDED TO RECTANGULAR CUTOUSES	2-20-53	8272			
E	2	ENGRAVING WAS L.E.T.	9/15/54	5542	LA	UB	
		SHEET 2 ADDED					
D	1	CALIBRATE MOVES LOOK 8 TO ADDED	7/14/54	1			
C	1	ENG. DETAIL ADDED	7/29/54	3			
B	1	WARNING NOTE REPLACED BY OPERATING RANGE NOTE	1/18/55	2			
A	1	1/2 ON MAIN POWER & ZERO BEAT WAS 5/8	9/15/54	1	C.D.D.		

TOLERANCES
 DEC. DIM. ±
 FRAC. DIM. ±
 ANGULAR DIM. ±

DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

PMO-2	285	8-10-54
MODEL	PROJECT NO.	DATE

REF: DWG. NO. MS-550 (CASE); MS-554 (RACK)

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
ENGRAVING, FRONT PANEL			
P M O			
TYPE & TEMPER		CDD 8-10-54	A.J.J.
DRAWN		ELEC. DES. APP.	MECH. DES. APP.
HEAT TREAT. SPEC.		CHECKED	FINAL APPROVAL
FINISH & SPEC. NO.		SHEET 10F 2	LD-192