


REVISIONS		DESCRIPTION			DATE	E.M.N.	DRAFT	CHKD	APPD
ORIGINAL RELEASE FOR PRODUCTION									1-7-65




NOTES:

- FOR LD-1683-1,-2,-3,-4,-5 AND -6 USE MS-4193 WITH IDENTICAL DASH NO'S.
- S114-ZINC CHROMATE PRIMER (FRONT & EDGES ONLY).
- ALL PANELS TO BE PAINTED AS NOTES INDICATE (FRONT & EDGES ONLY).
- THIS SECTION OF PATCH PANEL TO BE PAINTED LIGHT GRAY, SMOOTH, SEMI-GLOSS ENAMEL, FED STD 595, CHIP NO. 26231.
- THIS SECTION OF PATCH PANEL TO BE PAINTED LIGHT YELLOW, SMOOTH, SEMI-GLOSS ENAMEL, FED STD 595, CHIP NO. 23793.
- THIS SECTION OF PATCH PANEL TO BE PAINTED LIGHT BLUE, SMOOTH, SEMI-GLOSS ENAMEL, FED STD 595, CHIP NO. 25526.
- THIS SECTION OF PATCH PANEL TO BE PAINTED LIGHT GREEN, SMOOTH, SEMI-GLOSS ENAMEL, FED STD 595, CHIP NO. 24260.
- THIS SECTION OF PATCH PANEL TO BE PAINTED WHITE, SMOOTH, SEMI-GLOSS ENAMEL, FED STD 595, CHIP NO. 27875.
- LETTERING TO BE $\frac{1}{8}$ HIGH VERTICAL GOTHIC CHARACTERS, UNLESS OTHERWISE SHOWN, TO A DEPTH OF .010 TO .015. LOCATED ABOUT CENTERLINES APPROXIMATELY AS SHOWN. ENGRAVING SHALL BE BLACK FILL.
- ENGRAVE LD AND TMC MODEL NO'S ON REAR OF EACH PANEL AS INDICATED.

NOTES

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
MARTIN ENGL				
LIST OF MATERIAL				
MATERIAL				
FINISH				
SCALE	1:1	MODEL USED ON	ASS'Y. NO.	
CODE				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES				
DRAWN M TANTILLO	1-65	FINAL APPROVAL		DATE
CHECKED				
DATE	1-65	KRC		
DECIMALS	X .05	FRACTIONS	± 1/64	
	X .01		± 0° 30'	
	XXX ± .005	TOLERANCES	± 1/64 ANGLES	
ELECT. DES.			± 0° 30'	
MECH. DES.				
DATE	1-65			
REV. LTR.				
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.				
LD-1683				



- NOTES:

 1. LD-1683-7 USE MS-4194.
 2. LD-1683-8,-9,-10,-11 AND -12 USE MS-4193 WITH IDENTICAL DASH NO'S.
 3. S114 - ZINC CHROMATE PRIMER (FRONT & EDGES ONLY).
 4. ALL PANELS TO BE PAINTED AS NOTES INDICATE (FRONT & EDGES ONLY).
 5. THIS SECTION OF PATCH PANEL TO BE PAINTED LIGHT GRAY, SMOOTH, SEMI-GLOSS ENAMEL, FED STD 595, CHIP NO. 26231.
 6. THIS SECTION OF PATCH PANEL TO BE PAINTED WHITE, SMOOTH, SEMI-GLOSS ENAMEL, FED STD 595, CHIP NO. 27875.
 7. THIS SECTION OF PATCH PANEL TO BE PAINTED LIGHT BLUE, SMOOTH, SEMI-GLOSS ENAMEL, FED STD 595, CHIP NO. 25526.
 8. THIS SECTION OF PATCH PANEL TO BE PAINTED LIGHT GREEN, SMOOTH, SEMI-GLOSS ENAMEL, FED STD 595, CHIP NO. 24260.
 9. LETTERING TO BE ENGRAVED $\frac{1}{8}$ HIGH VERTICAL GOTHIC CHARACTERS UNLESS OTHERWISE SHOWN, TO A DEPTH OF .010 TO .015. LOCATED ABOUT CENTERLINES APPROXIMATELY AS SHOWN. ENGRAVING TO BE BLACK FILL.
 10. ENGRAVE LD AND TMC MODEL NO'S ON REAR OF EACH PANEL AS INDICATED.

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
MARTINEZ		LIST OF MATERIAL		
MATERIAL		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
FINISH		TITLE PAINT AND LETTERING DWG. FOR RF PATCH PANEL NO.2 AND NO.3		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN M.TANTILLO	DATE 12-31-64	FINAL APPROVAL <i>KR</i>
DECIMALS X ± .05 XX ± .01 XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'	CHECKED @	DATE 1-6-65
TOLERANCES		ELECT. DES. <i>JMK</i>	DATE	LD-1683 ∅
		MECH. DES. <i>JMK</i>	DATE 1-6-65	SHEET 2 OF 2 REV. LTR.