


LD-913 C



A ~ 1/8 DIA. 4 REQ.

NOTE
CHANGE DEHYDRATING AGENT
AT LEAST EVERY SIX MONTHS
OR SOONER IF REQUIRED.

NOTE:
1 - PRINTED DIRECTLY ON FACE OF
PLASTIC
2 - MATERIAL: POLISHED WHITE OPAQUE
VINYL PLASTIC.

NOTICE TO PERSONS RECEIVING THIS DRAWING
THE TECHNICAL MATERIEL CORPORATION claims
proprietary right in the material disclosed hereon.
This drawing is issued in confidence for engineering
information only and may not be reproduced or used
to manufacture anything shown hereon without per-
mission from THE TECHNICAL MATERIEL CORPORA-
TION to the user. This drawing is loaned for mutual
assistance and is subject to recall at any time.

Property of:
THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
C	2	FINISH DELETED	2-1-63	8168	WF	WF	WF
C	1	MATERIAL CLARIFIED					
B	2	FINISH & NOTE ADDED	7-18-62	6925	WF	WF	WF
B	1	MATL WAS VINYL PLASTIC					
A	1	SYM. NOS. ADDED	5/8/61	*	WF	WF	WF

TOLERANCES: SCALE: DO NOT SCALE

DEC. DIM. ±
FRAC. DIM. ± 1/64
ANGULAR DIM. ±

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

REQ. PER UNIT	RTB-12	PROJECT NO.	ASS'Y. NO.	DATE
	MODEL			5-1-61

USED ON

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.015	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	STOCK SIZE		
	SEE NOTE # 2	SCHEMATIC DIAGRAM	
	MATERIAL	RTB-12	
	TYPE & TEMPER	HEAT TREAT. SPEC.	
		DRAWN	CHECKED
		FINAL APPROVAL	
	FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.