



ISSUE	ITEM	CHANGED FROM	DATE	EN NO	DRAFTS	CHECKED	ENG APP	REQ	ITEM	PART NO	DESCRIPTION	SYMBOL
-------	------	--------------	------	-------	--------	---------	---------	-----	------	---------	-------------	--------

2
 11/68
 11/68
 [Signatures]




SMR-5	06/68		22 FEB. 68	1/8 THK	TMC (Canada) LIMITED OTTAWA ONTARIO		
USED ON				ALUMINUM	RETAINER, CABLE		
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.				MATERIAL		WEIGHT PER PC	
IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				TYPE & TEMPER		DRAWN [Signature]	
TOLERANCES				HEAT TREAT SPEC		ELEC DES APP [Signature]	
SCALE				S404, IRIDITE		MECH DES APP [Signature]	
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED				FINISH & SPEC NO		FINAL APPROVAL	
DRILL PUNCH COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED						MS10900	
ALL OTHERS	DEC DIM	FRAC DIM	ANGULAR DIM	[Symbol]			

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		REL TO PROD	APRIL 1/68		AP	JW	JW					



AX10047		070/61		MAR 6/68		.062 THK.		TMC (Canada) LIMITED			
MODEL		PROJECT NO.		ASS'Y. NO.		DATE		STOCK SIZE		OTTAWA ONTARIO	
USED ON						ALUM.		PANEL, BLANK			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				MATERIAL		WEIGHT PER PC.	
								57S-H34			
TOLERANCES				SCALE 1:1		TYPE & TEMPER		DRAWN		ELEC. DES. APP. MECH. DES. APP.	
ALL OTHERS		DEC. DIM. ± X=.05		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		HEAT TREAT. SPEC.		CHECKED		FINAL APPROVAL	
		FRAC. DIM. ± 1/64 .XX=.01				S404 IRIDITE					
		ANGULAR DIM. ± .XXX=-.005		DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		FINISH & SPEC. NO.				MS10903 Ø	

ISSUE	REV	QUANTITY FROM	DATE	BY	CHECKED	END APP.	REV	ITEM	PART NO.	DESCRIPTION	QTY
0		REL. TO PROD.	DATE 11/68	BY JN	JN						




HOLE LEGEND:

REF	DESCRIPTION	REQD
A	.140 DIA	1
B	.140X.250 SLOT	1

SMK-5	061/68		WAR 5/68	1/16 THK.	TMC (Canada) LIMITED OTTAWA ONTARIO	
MODEL	PROJECT NO.	ASSY. NO.	DATE	STOCK SIZE	BRACKET, P.C. BOARD	
USED ON				ALUMINIUM		
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES			IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.	MATERIAL	WEIGHT PER PC	
TOLERANCES			SCALE 1:1	TYPE & TEMPER	DRAWN <i>[Signature]</i>	
ALL OTHERS	DEC DIM ± .005	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		HEAT TREAT SPEC	ELEC DES APP	MECH DES APP
	FRACTIONAL DIM 1/64	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		S404-KIDITE	CHECKED	FINAL APPROVAL
	ANGULAR DIM 0.30			FINISH & SPEC. NO.	MS10904 0	


ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X								2	1	NT 10002-1	NUT, CLINCH, SELF LOCKING	



HOLE	DESCRIPTION	REQ'D
A	.133 DIA.	4
B	.172/.175 DIA.	2

AMC 22-32		0741/69		FEB. 11/69		.064 THK.		TMC (Canada) LIMITED OTTAWA ONTARIO							
MODEL	PROJECT NO.	ASS'Y. NO.	DATE	STOCK SIZE											
USED ON						ALUM. ALLOY		BRACKET, CHASSIS							
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.						IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.						MATERIAL		WEIGHT PER PC.	
												TOLERANCES			
ALL OTHERS		DEC. DIM. ± .X = .05		FRAC. DIM. ± 1/64 .XX = .01		ANGULAR DIM. ± 0° 30' .XXX = .005		HEAT TREAT. SPEC.							
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED						S 404 IRIDITE									
DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.						FINISH & SPEC. NO.				CHECKED		FINAL APPROVAL			
										MS 10959		X			


ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X											TE 117-2	



HOLE	DESCRIPTION	REQ'D
A	SLOT .250 X .125	2
B	.189 DIA.	1



AMC 22-32		074/69		FEB 12/69		.064 THK		TMC (Canada) LIMITED OTTAWA ONTARIO			
MODEL		PROJECT NO.		DATE		STOCK SIZE					
USED ON						ALUM. ALLOY		PLATE, SUPPORT			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES						IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		MATERIAL		WEIGHT PER PC.	
								TYPE & TEMPER		AP	
TOLERANCES						SCALE		DRAWN		ELEC. DES. APP.	
DEC. DIM. \pm .X = .05 FRAC. DIM. $\pm \frac{1}{64}$.XX = .01 ANGULAR DIM. $\pm 0^\circ 30'$.XXX = .005						DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		HEAT TREAT. SPEC.		MECH. DES. APP.	
ALL OTHERS						S404 IRIDITE		CHECKED		FINAL APPROVAL	
						FINISH & SPEC. NO.				MS 10960 X	

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		REL. TO PROD.	APR 7-69		ΔH		<i>[Signature]</i>					
Δ		REV AS PER CEMN	MAY 13-69	477	ΔH		<i>[Signature]</i>					



AMC 32	074/69		MAR 12/69	.021	TMC (Canada) LIMITED OTTAWA ONTARIO		
MODEL	PROJECT NO.	ASS'Y. NO.	DATE	STOCK SIZE	STRAP, CONNECTING		
USED ON				COPPER			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				MATERIAL	WEIGHT PER PC.		
IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				TYPE & TEMPER			
TOLERANCES				HEAT TREAT. SPEC.			
SCALE 1:1				SILVER PLATED			
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED				FINISH & SPEC. NO.			
DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.				DRAWN: <i>AP</i>			
ALL OTHERS				CHECKED: <i>Simpson</i>			
DEC. DIM. ± .X = .05				ELEC. DES. APP. <i>[Signature]</i>			
FRAC. DIM. ± 1/64 .XX = .01				MECH. DES. APP. <i>[Signature]</i>			
ANGULAR DIM. ± 0° 30' .XXX = .005				FINAL APPROVAL			
				MS 10961 A			

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENGINEERING REL.	MAR 22.69		AHa							



RCU 16		090 / 69		MAR 22, 69		.750 DIA		TMC (Canada) LIMITED					
MODEL		PROJECT NO.		ASS'Y. NO.		DATE		STOCK SIZE		OTTAWA ONTARIO			
USED ON						BS ROD		BUSH					
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				MATERIAL		WEIGHT PER PC.			
								B 16					
TOLERANCES				SCALE 1 / 1				TYPE & TEMPER		AHA			
								HEAT TREAT. SPEC.		DRAWN		ELEC. DES. APP.	
										CHECKED		MECH. DES. APP.	
ALL OTHERS				DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED				FINISH & SPEC. NO.		FINAL APPROVAL			
DEC. DIM. ± .015				DRILL: PUNCH, COMMERCIAL STOCK						MS 10973 X			
FRAC. DIM. ± 1/64				SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.									
ANGULAR DIM. ± 0° 30'													