


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.							
ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
Ø		REL TO PROD	9 AUG 69		JN.		
A		REV PER CEMIN	26/69	580	FJ		
B		REV PER CEMIN	14 OCT 69	594	FJ		
C		REV PER CEMIN	18 OCT 69	603	FJ		

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
------	------	----------	-------------	--------



MS11056 C

HOLE	DESCRIPTION	QTY
A	.140 DIA	6
B	.160 DIA	2
C	OBROUND .312 X .156	2
D	OBROUND .687 X .375	1
E	OBROUND .281 X .140	4

REF-LD10342

.064	TMC (Canada) LIMITED	
STOCK SIZE	OTTAWA ONTARIO	
AL. ALY	TORROID & LEDEX MFG PLATE	
MATERIAL	WEIGHT PER PC.	
57S-H32		
TYPE & TEMPER	DRAWN	MECH. DES. APP.
HEAT TREAT. SPEC.	CHECKED	FINAL APPROVAL
IRIDITE SA04		MS11056 C
FINISH & SPEC. NO.		

TOLERANCES		SCALE: 1:1
ALL	DEC. DIM. ± .015	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.
OTHERS	FRAC. DIM. ± 1/64	
	ANGULAR DIM. ± 0° 30'	

LPAI	088/69	9 AUG 69
MODEL	PROJECT NO.	DATE