



IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.

DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
Φ		REL. FOR PROD.	AUG 21/69		W.P.		
A		REVISED PER CEMN	OCT 9/69	559	Pa		
B		REV. PER CEMN	25 JUN 71	1022	NAT.		
C		REV. PER CEMN	JULY 7/71	1032	NAT.		



MS-11063 C

MIN. INSIDE BEND RAD., .062
 METAL STAMP TMC PART NO, 1/8 HIGH, GOTHIC.

TOLERANCES		SCALE: 1:1
ALL OTHERS	DEC. DIM. ± .015 FRAC. DIM. ± 1/64 ANGULAR DIM. ± 0° 30'	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

LPA-1	088/69	AUG. 11-69
MODEL	PROJECT NO.	DATE

.064	TMC (Canada) LIMITED	
STOCK SIZE	OTTAWA ONTARIO	
AL-ALLOY	ANGLE FOR SIDE MEMBER	
MATERIAL	CENTER.	
57 S-H32	W. PIETZ	
TYPE & TEMPER	DRAWN	ELEC. DES. APP.
HEAT TREAT. SPEC.	CHECKED	FINAL APPROVAL
IRIDATE S-404		MS-11063 C
FINISH & SPEC. NO.		