


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES



MS-1165 G

- A - 1/64 (.171) D. — 4 Req.
- B - 13/64 (.203) D. — 6 Req.
- C - 9/32 (.281) D. — 4 Req.
- D - 19/64 (.296) D. — 2 Req.
- E - 2 1/2 (2.500) D. — 1 Req.
- F - 13/64 x 13/32 SLOT — 3 Req.

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown herein without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
C	1	SLOT 1/16 DIA WAS 1/16 DIA CAVITY D.P.	1-23-58	1001	J		EMN
B	1	"C" HOLES WERE 1/32	1-23-58	2	J		EMN
A	2	CAPACITOR MTS. HOLES (B-B-B) & XFMR MTS. HOLES (C-C-C) RELOCATED. UPPER LEFT "B" HOLE MOVED WAS 3/16 DIA FROM CL. "C" HOLE WAS 1/32 DIA (1001)	1-23-58	1	16	J	EMN

TOLERANCES: DEC. DIM. ± 1/64, FRAC. DIM. ± 1/64, ANGULAR DIM. ±

SCALE: Full

DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

REQ. PER UNIT	MODEL	PROJECT NO.	ASSY. NO.	DATE
1	ATS-70TU			1-23-58
1	ATS-50TU			1-23-58

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		1/8 Thk.	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		Aluminum	PLATE, MOUNTING, REAR	
		5052-H32		
		TYPE & TEMPER		
		HEAT TREAT. SPEC.		
		3409-1/2L-121DITE		
		FINISH & SPEC. NO.		

16/23/58
 DRAWN: JAO, ELG, APP. MECH. DES. APP. MECH. DES. APP.
 CHECKED: JAO, FINAL APPROVAL: JAO
 MS-1165 G