


ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG. RELEASE	17/12/70		G.C.T.	<i>G.T.</i>						
XI		.437 WAS .313 CUT OUT ADDED	23/12/70		G.C.T.							



MTR 100A	087-70		10TH. DEC. '70	.064		TMC (Canada) LIMITED OTTAWA ONTARIO		
MODEL	PROJECT NO.	ASS'Y. NO.	DATE	STOCK SIZE		FEED THRO' CAPACITOR SHIELD		
USED ON				AL. ALLOY.		(S-HALL)		
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		G.C. THOMPSON		
						DRAWN <i>G.T.</i>		
TOLERANCES				SCALE FULL SIZE		ELEC. DES. APP.		
ALL OTHERS				DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		MECH. DES. APP.		
DEC. DIM. $\pm .015$.X = .05				DRILL: PUNCH. COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		HEAT TREAT. SPEC.		
FRAC. DIM. $\pm \frac{1}{64}$.XX = .01						IRIDITE S404		
ANGULAR DIM. $\pm 0^{\circ} 30'$.XXX = .005						FINISH & SPEC. NO.		
CHECKED						FINAL APPROVAL		
						MS 112 72		XI