




IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES



DRILLING HOLE	DIM. X	DIM. Y	No. REQ.
A	.202	.089	4
B	.230	.120	2

C - 1/8 (.125) DIA - 4 HOLES REQ



MS-1281 A

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
A	1	5404 - IRIDITE WAS 6101 - CAUSTIC DIP	12/5/58	1001			EMM

TOLERANCES: SCALE: 2X

ALL OTHERS: DEC. DIM. ±, FRAC. DIM. ±, ANGULAR DIM. ±

DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

FINISH NOTE -  
 5404 - YEL-IRIDITE  
 5114 - ZINC CHROMATE PRIMER (FRONT ONLY)  
 5116 - SMOOTH BLACK GLOSS (FRONT ONLY)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE TO THRESH AND INCLUDE UNLESS OTHERWISE SPECIFIED IN PLAIN FINISHES

TOLERANCES: ±.0015, ±.0025, ±.0050, ±.0100, ±.0150, ±.0300, ±.0600, ±.1200, ±.2500, ±.5000, ±1.0000

REQ. PER UNIT	MODEL	PROJECT NO.	ASSY. NO.	DATE
1	SVVR-3000 PM		A-1853	6-4-58

REF: USED WITH TMC # PX-411

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
1/8 THICK		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
STOCK SIZE			
ALUMINUM	CP	PLATE, FRONT, METER	
MATERIAL	WEIGHT PER PC.	PORTABLE	
2024-T3			
TYPE & TEMPER			
HEAT TREAT. SPEC.			
SEE NOTE			
FINISH & SPEC. NO.			

MS-1281 A