





| REQ. PER UNIT | USED ON   |            |        |
|---------------|-----------|------------|--------|
|               | MODEL     | ASS'Y. NO. | DATE   |
| 1             | MSR-1,3,4 | A-1581(1)  | 9-8-58 |
| 1             | FFR-2     | A-1581(1)  | 9-8-58 |

MS-1331 B



cement 50/125  
 To cover as shown.

A -  $\frac{13}{64}$  (.203) D. 2 Req.



| ISSUE              | ITEM | CHANGED FROM                               | DATE    | CH. NO. | DRAFTS | CHECKER | ENG. APP. | REQ. ITEM                                                                                         | PART NO. | DESCRIPTION                                          | SYMBOL |                |  |
|--------------------|------|--------------------------------------------|---------|---------|--------|---------|-----------|---------------------------------------------------------------------------------------------------|----------|------------------------------------------------------|--------|----------------|--|
| B                  | 1    | S404-YEL. IRIDITE WAS 5101 CAUSTIC DIP     | 12-8-59 | 1001    | P      | EMN     |           | .081 THK.<br>STOCK SIZE                                                                           |          | THE TECHNICAL MATERIEL CORP.<br>MAMARONECK, NEW YORK |        |                |  |
| A                  | 1    | 3-1/16 WAS 3-11/16 (Error) Hole Size Added | 9/16/58 | 1       | 16     | RLK     | EMN       | ALUMINUM                                                                                          |          | COVER, CAPACITOR                                     |        |                |  |
| TOLERANCES         |      |                                            |         |         |        |         |           | SCALE: FULL                                                                                       |          |                                                      |        |                |  |
| DEC. DIM. ±        |      |                                            |         |         |        |         |           | MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. |          |                                                      |        |                |  |
| FRAC. DIM. ± 1/64  |      |                                            |         |         |        |         |           | REMOVE ALL BURRS AND SHARP EDGES                                                                  |          |                                                      |        |                |  |
| ANGULAR DIM. ±     |      |                                            |         |         |        |         |           |                                                                                                   |          |                                                      |        |                |  |
| 5052-H32           |      |                                            |         |         |        |         |           | 16 <sup>9</sup> /8/58                                                                             |          | H. De [Signature]                                    |        | MS-1331 B      |  |
| S404-IRIDITE       |      |                                            |         |         |        |         |           | DRAWN                                                                                             |          | CHECKED                                              |        | FINAL APPROVAL |  |
| FINISH & SPEC. NO. |      |                                            |         |         |        |         |           | ELEC. DES. APP.                                                                                   |          | MECH. DES. APP.                                      |        |                |  |