

IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material described herein. This drawing is issued in confidence or engineering information only and may not be reproduced or used to manufacture any thing shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:


THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK

A - $\frac{13}{64}$ (.203) DIA. HOLE 3 REQ.

3 REQ.


B - $\frac{.221}{.224}$ DIA (INSERT) NT-129-832-4 3 REQ.

C -



CHAMFER FOR 3-48 F.W.S. 2 REQ.
FOR NT-117-832-A

2 REQ.



MOUNT ITEM 1 AS SHOWN IN ALL 'B' HOLES

MS-1581 E

E	1	ITEM (1) ADDED REF: MS-1680-1 DELETED	8-26-68	9797	AK	JAB	WAB
D	1	5-104 VEL. TRIGGER WAS 5-101 CAUSTIC DIP	9/19/64	1001	AK	JAB	EM
C	1	Notch Added	5/10/59	1022	J.C.B.	JAB	EM
B		REBROUNN W/ENG REDESIGNED	2/1/59			JAB	EM
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES		SCALE: 1/4"					
ALL OTHERS	DEC. DIM. ±	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.					
	FRAC. DIM. ±	1/64					
	ANGULAR DIM. ±						

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES AND INCLUDE
DIMENSIONALLY APPLIED ON PLATED FINISHES

DECIMALS	FRACTIONS
± .005	± 1/64
± .01	± .005
± .015	± .005

TOLERANCES

1	GPT-10KW	PROJECT NO.	ASSY. NO.	3-21-59
REQ. PER UNIT	MODEL	PROJECT NO.	ASSY. NO.	DATE
USED ON				

3	1	NT-129-832-4	NUT, ROUND, SWAGE TYPE	
REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		064	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
STOCK SIZE			BRACKET, LEFT SIDE	
ALUMINUM			FRONT WINDOW PANEL	
MATERIAL			WEIGHT PER PC.	
5052-H32				
TYPE & TEMPER			DRAWN	
			ELEC. APP.	
			MECH. DES. APP.	
HEAT TREAT. SPEC.			CHECKED	
5052 VEL. TRIGGER 3/14 & 3/15			FINAL APPROVAL	
FINISH & SPEC. NO.			MS-1581 E	