


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.

A-1/4 = (.250) DIA.

8 Req.



MS-1629 E

E	2	5 19/32 x .5 15/32, 21 29/32, 22 1/2	7.9.64	11781	NSB		
	1	DIM. 1/2 WAS 3/8, 1/4 WAS 3/8					
D	2	DIM 7/8 ADDED	11-9-60	3445	RU		
	1	DIM 5 3/8 CLEARIFIED					
C	1	A' HOLES WERE 3/16 DIA CHANGED TO 1/4	11/11/60	1741	MF		
B	1	FS-110-1 ADDED	2/14/59		P.I.		
A	1	DELETE 1 'A' HOLE	4/7/58				
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES		SCALE:					
ALL OTHERS	DEC. DIM. ±	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.					
	FRAC. DIM. ± 1/64						
	ANGULAR DIM. ±						

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK

REF: ~ TMC DWG. NO. MS-1630

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS	FRACTIONS
X ± .05	± 1/64
XX ± .01	ANGLES ± 0° 30'
XXX ± .005	

CUT WARE GUARANTEED 2-46

1	GPT-10K	AX-104	2-27-59
REQ. PER UNIT	MODEL	PROJECT NO.	ASSY. NO.
			DATE
	USED ON		

8	4	WA-127	WASHER	
8	3	FS-109-3	RING, STUD	
4	2	FS-110-1	STUD, SLOTTED	
4	1	FS-110-3	STUD, SLOTTED	
REQ. ITEM	PART NO.		DESCRIPTION	SYMBOL
.064			THE TECHNICAL MATERIEL CORP.	
STOCK SIZE			MAMARONECK, NEW YORK	
ALUMINUM			COVER, BOTTOM	
MATERIAL WEIGHT PER PC.			(DRIVER DRAWER)	
5052-H-32			JOHN C. BIELE	
TYPE & TEMPER			DRAWN	ELEC. DES. APP.
			MECH. DES. APP.	
HEAT TREAT. SPEC.			CHECKED	FINAL APPROVAL
S-404 IRIDITE			MS-1629 E	
FINISH & SPEC. NO.				