


REQ. PER. UNIT	USED ON			MS-1722	A
	MODEL	ASS'Y. NO.	DATE		
2	RTS-2		4-17-59		

ALL HOLE  $\frac{13}{64}$  DIA.



ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
										THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
									$\frac{1}{8}$ THICK STOCK SIZE			
A	1	3404-YEL IRIDITE WAS 3101 CAUSTIC DIP	12-8 59	1001	P		EMN		ALUMINUM	STRAP, FILLER, RIGHT SIDE		
									MATERIAL			
TOLERANCES			SCALE: <i>CS</i>									
DEC. DIM. $\pm$ FRAC. DIM. $\pm$ <i>1/64</i> ANGULAR DIM. $\pm$			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES									
								5052-H32				
								TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
								3404-YEL-IRIDITE				
								FINISH & SPEC. NO.	ELEC. DES. APP	MECH. DES. APP		
												MS-1722 A