


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.  
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES



**HOLE LEGEND**

A - DELETED	
B - DELETED	
C - $\frac{3}{16}$ (.187) DIA	3 REQ.
D - $\frac{5}{16}$ (.312) DIA	4 REQ.
E - $\frac{13}{16}$ (.812) DIA	1 REQ.
F - $1\frac{1}{2}$ (1.500) DIA	2 REQ.
G - .191-.194 DIA (FOR NT129-632-4)	15 REQ.
H - .344-.347 DIA (FOR NT129-420-G)	2 REQ.
J - $11/64$ DIA.	2 REQ.

INSIDE BEND METAL THICKNESS

**NOTICE TO PERSONS RECEIVING THIS DRAWING**  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown herein without the express written permission of THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for individual assistance and is subject to recall at any time.  
 Property of:  
 THE TECHNICAL MATERIEL CORPORATION  
 MAMARONECK, NEW YORK

G	WAS 1/8 STOCK SIZE ONE TO 1/8 ALUM.	2177	21537	WB	1/16	1/16
F	20 Holes Added	1-24-61	3974	RU	1/16	1/16
E	DIM. 20 WAS 19 3/4 + 1/4 WAS 1/8	11-3-60	3363	RU	1/16	1/16
D	13 WAS 1 1/8 ANGLE (40) DELETED TO HOLE DELETED	7/60	2012	DM	1/16	1/16
C	G Holes were for NT129-G-82-G	9/160	2535	CU	1/16	1/16
B	30 WAS 3/16 42 HOLES DELETED	11/11/60	1746	1/16	1/16	1/16
A	3 ONE HOLE ADDED. DRAW WAS	7/11	1508	1/16	1/16	1/16
I	2 F Hole was 1 1/8 D added 2 G Holes (G4) 8 WAS 1/8	2/60				

ISSUE ITEM CHANGED FROM DATE CH. NO. DRAFTS CHECKER ENG. APP.

TOLERANCES SCALE: 1/16

ALL DEC. DIM. 1/16  
 OTHERS PRAC. DIM. 3/64  
 ANGULAR DIM. 1/2

DRILL PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

REF. (3) LD-653

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
1	GPT-10K	AX-181	7-3-59
REQ PER UNIT	MODEL	PROJECT NO.	ASSY. NO.
			DATE
		USED ON	

1/8 THICK	THE TECHNICAL MATERIEL CORP.		
STOCK SIZE	MAMARONECK, NEW YORK		
ALUM. CP	SHIELD, CENTER, TOP		
MATERIAL	WEIGHT PER PC.	MATERIAL	
5052-H32		MATERIAL	
TYPE & TEMPER	CP	DRAWN	ELC. DES. APP.
		1/16	1/16
HEAT TREAT. SPEC.	CHECKED	FINAL APPROVAL	
5404-1810DITE	1/16	1/16	
FINISH & SPEC. NO.		MS-1832 G	