


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES


NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK



A - 1/64 (.171) D. 4 HOLES REQ.
B - 5/32 X 5/16 SLOT. 4 SLOTS "



MS-224 C

C	1	5404-IRIDITE WAS S101 CAUSTIC DIP	12-9 59	1001	P	EMN	
B	2	DIMENSIONING CHANGED	8/14/55	2	CSO	Handwritten initials	
	1	REDRAWN					
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.

TOLERANCES		SCALE:
ALL OTHERS	DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

1	XFK	A-6A1	8/16/55
REQ PER UNIT	MODEL	PROJECT NO.	DATE
		ASSY. NO.	

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.051	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	ALUMINUM	BRACKET, DIAL MOUNTING	
	5052 H32	XFK	
	TYPE & TEMPER	ODD 8/16/55	
		DRAWN	ELEC. DES. APP.
		CHECKED	FINAL APPROVAL
	HEAT TREAT. SPEC.		
	5404 XEL IRIDITE		
	FINISH & SPEC. NO.		