



A -  $\frac{1}{4}$  DIA.

4 REQ.

REQ. PER UNIT	USED ON		
	MODEL	ASSY. NO.	DATE
1	CMD-1		8-8-60
1	CMO-2		8-8-60

MS-2348

B



ISSUE		CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
B	1	HOLES WERE $\frac{1}{64}$ DIA.	1-10-62	6158	LL	<i>[Signature]</i>	<i>[Signature]</i>	$\frac{3}{4} \times \frac{3}{4} \times \frac{1}{8}$		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	B	
A	1	TYPE & TEMPER WAS 5052-H-32	33061	4536	NAF	<i>[Signature]</i>	<i>[Signature]</i>	ALUMINUM				STIFFENER, REAR
TOLERANCES			SCALE: $\frac{1}{2}$					6063-T5				
DEC. DIM. $\pm$			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					TYPE & TEMPER	HEATTREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
FRAC. DIM. $\pm \frac{1}{64}$								S404 YELL. IRIDITE				
ANGULAR DIM. $\pm$						FINISH & SPEC. NO.		ELEC. DES. APP	MECH. DES. APP			