

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE FOR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

MODEL

ASS'Y. NO.

DATE

2

GPT-200K

AX-397

7-13-63


MS-3301

○

UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
2. ALL ANGULAR BENDS 90°.
3. REMOVE ALL BURRS AND SHARP EDGES.

TMC PART NO.	DESCRIPTION
MS-3301-1	AS SHOWN
MS-3301-2	OPPOSITE HAND



HOLES REQ  
A-13/64 X 13/32 2  
SLOTS

					REQ. ITEM	PART NO.	F. BUDETTI	DESCRIPTION	SYMBOL
					.081 THICK			THE TECHNICAL MATERIEL CORP.	
					STOCK SIZE			MAMARONECK, NEW YORK	
					ALUMINUM			BRACKET, CHASSIS SUPPORT	
					MATERIAL				
○	ORIGINAL RELEASE FOR PRODUCTION	5/27/64	○	A.M.	5052, H-32		John C. Biele	aa	RJE
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	DRAWN	CHECKED	FINAL APPROVAL
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1" = 1"						
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A						
					5404-IRIDITE, 14-2 AL-COAT		all	12/13/63	MS-3301 ○
					FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	