


REVISIONS							
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
D7	X1	"B" HOLE 1" LOCATION WAS 13/16; ADDED 9/16 DIM. & "B" HOLE "B" HOLE QTY WAS 1; DWG TITLE WAS PANEL, SIDE RIGHT MAIN CHASSIS.	4/2/64	1	JL		<i>[Signature]</i>
	X2	"A" HOLE WAS .166 DIA. HOLE # C'SINK 82° X .280 DETAIL "D" MOUNTING HOLES WERE .110 DIA.	6/15/64	X2	A.M.		<i>[Signature]</i>
	X3	DET. "D" MOUNTING WAS .090 DIA & C'SINK 82° X .177 DIA "A" HOLE WAS .169 DIA & C'SINK 82° X .237 DIA	6/23/64	X3	<i>[Signature]</i>		<i>[Signature]</i>
#	Ø	ORIGINAL RELEASE FOR PRODUCTION	6/25/64	Ø	A.M.		




METAL STAMP TMC
P/N 1/8 HIGH, AS SHOWN,
WITH LATEST REVISION
LETTER.

MS 3710-

LEGEND		
HOLE	DESCRIPTION	REQD
A	.144 DIA. HOLE & C'SINK 82° X .284 DIA	3
B	3/16 DIA	1
C	.250-.253 DIA	6
D	SEE DETAIL	6

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
 2. ALL ANGULAR BENDS 90°.
 3. REMOVE ALL BURRS AND SHARP EDGES.
 4. MOUNT INSERTS AFTER FINISHING.



MS 3710

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
6	1	NT-129-1032-4	NUT, ROUND, SWAGE TYPE	C

M. GELLMAN		LIST OF MATERIAL	
MATERIAL	.062 THICK 5052-H32 ALUMINUM	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH	S404 IRIDITE 14 2 AL COAT	TITLE PLATE, SIDE-RIGHT	

Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
1	CSS-2	

SCALE	CODE
1:1	A

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES AND INCLUDE
CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS	FRACTIONS	TOLERANCES	ANGLES
.X ± .05	± 1/64		± 0° 30'
.XX ± .01			
.XXX ± .005			

DRAWN	DATE	FINAL APPROVAL	DATE
<i>[Signature]</i>	1-21-64	<i>[Signature]</i>	
CHECKED	DATE		
ELECT. DES.	DATE		
MECH. DES.	DATE		

MS 3710

NOTES

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.