



MS4001 A

REVISIONS					
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD APPD
X	EXPERIMENTAL RELEASE	8-26-64	X	<i>G. Inman</i>	
X ₁	DIM 6 5/8 WAS 16 5/8 (TYPO ERROR)	8-27-64	X ₁	<i>JSB</i>	<i>J. De</i>
X ₂	DIM. 16-56/64 WAS 16-5/32	8-31-64	X ₂	<i>JSB</i>	
X ₃	DIM. 5/16 WAS 1/4	9-9-64	X ₃	<i>G. Inman</i>	
Ø	ORIGINAL RELEASE FOR PRODUCTION	10-5-64	Ø	<i>@</i>	
A	IT.I WAS FS109-1	11.11.64	12905	<i>JSB</i>	<i>@</i>

HOLE	DESCRIPTION	REQ.
A	1/4 DIA	3

①
② MOUNT IN ALL "A" HOLES.

METAL STAMP TMC PART NO. 1/8 HIGH GOTHIC, WITH LATEST REVISION LETTER, ON REAR.

UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
2. ALL ANGULAR BENDS 90 DEGREES
3. REMOVE ALL BURRS AND SHARP EDGES
4. MOUNT INSERTS AFTER FINISHING

NOTES

1	LFSB-1	
Q'TY./UNIT	MODEL USED ON	ASSY. NO.
SCALE 1:3	CODE A	
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.		

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
6	2	FS109-3	RING, STUD RETAINING	A
6	1	FS110-1	STUD, SLOTTED HEAD	A

M. GELLMAN LIST OF MATERIAL

MATERIAL: .051 PERFORATED ALUMINUM 5052-H32

FINISH: 5404-YELLOW IRIDIJE

TITLE: THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK

COVER, TOP

DRAWN <i>G. Inman</i>	DATE 8-26-64	FINAL APPROVAL <i>JSB</i>	DATE
CHECKED <i>@</i>	DATE 9-15-64		
ELECT. DES.	DATE	MS4001	A
MECH. DES. <i>M. Gellman</i>	DATE 10-5-64	SHEET	REV. LTR.

DECIMALS: .X ± .05, .XX ± .01, .XXX ± .005
 FRACTIONS: ± 1/64, ANGLES: ± 0° 30'
 TOLERANCES