



MS4081

REVISIONS						
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
X1	REMOVED 1/2 X 2/8 CUTOUT; B' HOLE REQ'D WAS (A).	1/8/64		JL	JM	W.J.
X2	5/8 DIM ADDED TO TOP LIP	2-9-65	X2	Jordan	J.M.	W.J.
	ORIGINAL RELEASE FOR PRODUCTION	2-8-65				
A	2-7/16 DIM. ADD.	4-22-65	13913	JL	JL	W.J.

HOLE LEGEND		
HOLE	DESCRIPTION	REQ
"A"	.191-.194 DIA	8
"B"	1/164 DIA	2
"C"	13/32 DIA	2
"D"	.221-.224 DIA	1
"E"	9/64 DIA	2
"F"	5/16 DIA	1

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
 2. ALL ANGULAR BENDS 90 DEGREES
 3. REMOVE ALL BURRS AND SHARP EDGES
 4. MOUNT INSERTS AFTER FINISHING

REF: LD1642

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
1	2	NT129-832-4	NUT, PLAIN, SPLINE	D
8	1	NT129-632-4	NUT, PLAIN, SPLINE	A

EATON		LIST OF MATERIAL		SK-3071-MS-7	
MATERIAL .081 THK ALUMINUM 5052-H32			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
FINISH YELLOW IRIDITE S404			TITLE CHASSIS, ELECTRICAL-MAIN (+180V POWER SUPPLY)		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN JL	DATE 2/8/65	FINAL APPROVAL J.M.	
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	ELECT. DES. J.M.	DATE 2/8/65	MECH. DES. W.JORDAN
			DATE 2/8/65		DATE
			MS4081		A
			SHEET		REV. LTR.

1	RTIA-1	A4058
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE	CODE	
	A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

NOTES