



MS4658 A

REVISIONS					
SYM	DESCRIPTION	DATE	EM N NO.	DRAFT	CHKD APPD
X1	COMPLETELY REVISED	7-1-65	X1	JCS	JCS
Ø	ORIGINAL RELEASE FOR PRODUCTION	3-3-66	-A-	Jc	JCS avc
A	SLOTS AREA WAS PERFORMED "B" HOLE WAS 3/4 DIA	9-27-88	22069	GDL	GDL JCS

HOLES:
 A-.191-.194 DIA. (10 REQ.)
 B- 1 DIA. (1 REQ.)

MARK TMC PART NO.
 1/8 HIGH GOTHIC W/LATEST
 REV. LETTER.

- UNLESS OTHERWISE SPECIFIED:**
- USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
 - ALL ANGULAR BENDS 90 DEGREES
 - REMOVE ALL BURRS AND SHARP EDGES
 - MOUNT INSERTS AFTER FINISHING

NOTES

4	TST () 10K	
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE	CODE	
11	A	
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.		

10	1	NT 129-632-3	NUT, PLAIN, SPLINE	
REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
F. BUDETTI LIST OF MATERIAL				
MATERIAL .051 THICK ALUMINUM 5052-H32			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH COPPER FLASH S245 SILVER PLATE S423 IRIDITE 18-P SILVER KOTE			TITLE SHIELD, RF, FIXED FILTER	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			DRAWN JCS	DATE 5-27-65
			CHECKED JCS	DATE 3-2-66
			ELECT. DES. JCS	DATE 3/2/66
			MECH. DES. JCS	DATE 3/2/66
			FINAL APPROVAL JCS	
			DATE 3/2/66	
			MS4658	
			A	
			SHEET	
			REV. LTR.	