


TMC P/N	VIEW	SIDE
MS4926-1	AS SHOWN	LEFT
MS4926-2	OPPOSITE HAND	RIGHT

HOLE	DESCRIPTION	REQ'D
A	11/64 DIA	8
B	11/64 X 11/32 SLOT	2

MS4926 **A**

SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
X	EXPERIMENTAL RELEASE	5.27.66		WHD		
Ø	ORIGINAL RELEASE FOR PRODUCTION	9/26/66		Ø CV		
A	TWO 'B' HOLES ADDED	3-6-75	21221	GDL		



UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
2. ALL ANGULAR BENDS 90 DEGREES
3. REMOVE ALL BURRS AND SHARP EDGES

HOLE	DESCRIPTION	REQUIREMENT
A	11/64 DIA	8

1 EA	CEA-2	A5521
SCALE 1/1	MODEL USED ON	ASSY. NO.

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIAL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
	DUDDLES			

MATERIAL
.063 THICK ALUMINUM
5052-H32

FINISH
S404 YELLOW IRIDIOTE

THE TECHNICAL MATERIAL CORP.
MAMARONECK, NEW YORK

TITLE
SHIELD BECKET & RT SIDE

DECIMALS	TOLERANCES	FRACTIONS	DRAWN	CHECKED	ELECT. DES.	MECH. DES.	DATE	FINAL APPROVAL	DATE	REV. LTR.
.X ± .05 .XX ± .01 .XXX ± .005		± 1/64 ANGLES ± 0° 30'								