


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

MS-583 A

REQ. PER UNIT	USED ON			
	MODEL	PROJECT NO.	ASS'Y. NO.	DATE
1	A-1000		A-422	11-23-54



A- NO. 27 (.144) D. DRILL  
 3 "A" HOLES AND 9/16 HOLE  
 TO BE JIG DRILLED,  
 USING SAME JIG AS  
 FOR MS-307 & MS-308.  
 B- 3/16 (.187) D. 4 REQ.

**OBSELETE**  
**NO LONGER USED**

EMN # 11294  
 4-30-64

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		.032	THE TECHNICAL MATERIEL CORP.	
		STOCK SIZE	MAMARONECK. NEW YORK	
	BRASS	—H—	PLATE, BEARING LOCKING	
		MATERIAL WEIGHT PER PC.		
		HALF HARD		
		TYPE & TEMPER	C.D.D. 11/23/54	WDE
		—H—	DRAWN	ELEC. DES. APP. MECH. DES. APP.
		HEAT TREAT. SPEC.	P.B.	WDE
		S-135 NIKLE PLATE	CHECKED	FINAL APPROVAL
		FINISH & SPEC. NO.		MS-583 A

A	2	OBSELETE NOTE ADDED	4/30/64	11294	A.M.	@	
ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES				SCALE			
ALL OTHERS	DEC. DIM. ±	FRAC. DIM. ±	ANGULAR DIM. ±	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.			