

ENGINEERING SKETCH NOT FOR PRODUCTION

REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
X		EXPERIMENTAL RELEASE	1/10/68	+	H2	JKR
Ø		ORIGINAL RELEASE FOR PRODUCTION	4/2/68	Ø	H2	HDe

MARK TMC P/N $\frac{1}{8}$ HIGH GOTHIC W/LATEST REV. LETTER.



HOLE	DESCRIPTION	REQ
A	13/64 DIA.	5
B	.221-.224 DIA.	6

6	1	NT129-0832-4	NUT, PLAIN, SPLINE	B
QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
F. BUDETTI LIST OF MATERIAL SK3290-MS1005				
FINAL APPROVAL		DATE	THE TECHNICAL MATERIEL CORP.	
MECH. DES.		DATE	MAMARONECK, NEW YORK	
ELECT. DES.		DATE	SHIELD, METER	
CHECKED		DATE	C 82679 MS5171	
DRAWN		DATE	SCALE 1:2 SHEET OF	
MATERIAL .061 ALUMINUM		CODE IDENT. NO. DWG. NO.		ISSUE
5052-H32		C 82679 MS5171		Ø
FINISH S404 YEL IRIDITE		SCALE 1:2		SHEET OF

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON
 DECIMALS .X ± .05
 .XX ± .01
 .XXX ± .005
 FRACTIONS ± 1/64
 ANGLES ± 0° .30'

1	BCT-10KA	ASS'Y NO.
QTY / UNIT	MODEL USED ON	
APPLICATION		
CODE	S401-451	
NOTICE TO PERSONS RECEIVING THIS DRAWING		
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

- UNLESS OTHERWISE SPECIFIED:
- USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
 - ALL ANGULAR BENDS 90 DEGREES
 - REMOVE ALL BURRS AND SHARP EDGES
 - MOUNT INSERTS AFTER FINISHING