


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	X	EXPERIMENTAL RELEASE	2/26/68	-H-	Long	W. J. J.
		ORIGINAL RELEASE FOR PRODUCTION	3/28/69		RG	



HOLES	DESCRIPTION	REQ.
A	1/8 DIA.	2
B	9/64 DIA.	4
C	1/4 DIA.	8

MS 5375-1	AS SHOWN, TOP COVER
MS 5375-2	DELETE A & B HOLES, BOTTOM

FRONT

MARK TMC P/N 1/8 HIGH GOTHIC W/LATEST REV. LETTER.

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
8	2	FS 110-1	STUD, TURNLOCK	C
8	1	FS 109-3	RING, RETAINING	C

5 DeMarco LIST OF MATERIAL SK3234-006-11

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

FINAL APPROVAL: *S DeMarco* DATE: 3/27/69  
MECH. DES. DATE:

ELECT. DES. DATE:

CHECKED: *W. J. J.* DATE: 3-27-69  
DRAWN: *Long* DATE: 2-26-68

THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK

COVER, TOP & BOTTOM

SIZE	CODE IDENT. NO.	DWG. NO.	ISSUE
C	82679	MS 5375	0

SCALE 1:2 SHEET OF

1 EA	RTTD-5, RTTD-SA	
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
CODE	S 401-451	
A		
NOTICE TO PERSONS RECEIVING THIS DRAWING		
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

TOLERANCES ON	
DECIMALS	FRACTIONS
.X ± .05	± 1/64
.XX ± .01	ANGLES
.XXX ± .005	± 0° -30'

MATERIAL .051 THK ALUMINUM 5052 H 32

FINISH S 404 YELLOW IRIDITE

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
  2. ALL ANGULAR BENDS 90 DEGREES
  3. REMOVE ALL BURRS AND SHARP EDGES

MS 5375

A