


REVISIONS					
E.M.N.O	DRAFT	CHKD	ZONE	LTR	DESCRIPTION
					ORIGINAL RELEASE FOR PRODUCTION
					DATE 10/4/71
					APPROVED



HOLE	DESCRIPTION	REQ
A	11/64 DIA.	45
B	11/64 x 11/32 SLOT	9
C	.191-.194 DIA.	2
D	15/64	6
E	1/2 DIA.	26

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
 2. ALL ANGULAR BENDS 90 DEGREES.
 3. REMOVE ALL BURRS AND SHARP EDGES.
 4. MOUNT INSERTS AFTER FINISHING.

QTY / UNIT	MODEL USED ON	ASSY NO.
1	TEP-1K	
APPLICATION		
CODE		

REF: LD2466

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON
 DECIMALS FRACTIONS
 .X ± .05 ± 1/64
 .XX ± .01 ANGLES ± 0°-30'
 .XXX ± .005

MATERIAL .063 ALUM
 5052 H32
 FINISH
 SH04 YEL IRIDITE

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
2	1	NT129-0632-3	NUT PLW SPLINE	

F. BUDETTI LIST OF MATERIAL

FINAL APPROVAL	DATE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK <i>CHASSIS, FILTER</i>
MECH. DES.	DATE	
ELECT. DES.	DATE	
CHECKED	DATE	
DRAWN	DATE	

SCALE 1:1

SIZE	CODE	IDENT NO.	DWG NO.	ISSUE
D	82679		MS 5995	1

SHEET OF