


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	DRAFT	CHK'D	APPD



HOLES

A - 11/64 DIA	12 REQ
B - 9/64 DIA	4 REQ
C - .191 - .194 DIA	4 REQ

- UNLESS OTHERWISE SPECIFIED:
- USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
  - ALL ANGULAR BENDS 90 DEGREES.
  - REMOVE ALL BURRS AND SHARP EDGES.
  - MOUNT INSERTS AFTER FINISHING.

INTERPRET DRAWING PER LISTED DOCUMENTS	
DIMENSIONING MIL - STD - 8	
SURFACE ROUGHNESS MIL - STD - 10	
ABBREVIATIONS MIL - STD - 12	
ELECTRONIC SYMBOLS MIL - STD - 15	
WELDING SYMBOLS JAN - STD - 19	
NEXT ASSY	USED ON
APPLICATION	

TOLERANCES ON	
DECIMALS	FRACTIONS
.X ± .05	± 1/64
.XX ± .01	ANGLES
.XXX ± .005	± 0° - 30'

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES REMOVE ALL BURRS AND SHARP EDGES

MATERIAL 063THK  
ALUM. 5052 -H32

FINISH S404  
YEL. IRIDITE

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
4	1	NT 1290632-4	NUT, ROUND	

LIST OF MATERIAL

THE TMC SYSTEMS AND POWER CORPORATION  
SPRINGFIELD, VIRGINIA

PLATE, LEF SIDE

SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
C	24146	MS6811	

SCALE 1/2 SHEET OF

NOTICE TO PERSONS RECEIVING THIS DRAWING THE TMC SYSTEMS AND POWER CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TMC SYSTEMS AND POWER CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.