


REQ. PER UNIT	USED ON			MS-706	D
	MODEL	ASS'Y. NO.	DATE		
4	RTF		9-25-55		
4	RTF-2	MULT.	11-20-58		



ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
D	1	CUTOUT WAS $\frac{9}{16} \times \frac{5}{8}$	8/12/60	+	file	file	<i>[Signature]</i>
C	1	S404 IRIDITE WAS 5101 CAUSTIC DIP	12-7-59	1001	P		EMN
B	1	5/8 WAS $\frac{11}{16}$	4/17/56	2	OOD	file	WLC
A	13	15/16 WAS $\frac{3}{4}$	3/12/56	1	B	file	WLC
	2	11/16 WAS $\frac{1}{2}$					
	1	5/8 WAS $\frac{7}{16}$					

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	.064 STOCK SIZE	CONDENSER BRACKET MULTIPLIER CHASSIS GPT-750	
	ALUMINUM		
MATERIAL			
52 S-H32	—H—	B 9-25-55	A.J.J.
		DRAWN	CHECKED
		FINAL APPROVAL	
S404-IRIDITE		11/20/58	WLC
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.
		MS-706 D	

TOLERANCES	SCALE:
DEC. DIM. \pm	MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES
FRAC. DIM. \pm Y64	
ANGULAR DIM. \pm	