


REQ. PER UNIT	USED ON			MS-740	C
	MODEL	ASS'Y. NO.	DATE		
1	TER-3500				
1	TER-500	A-1156	10-23-57		
1	TER-3500-70				
1	TER-500-70				
1	TER-3500-300	A-1156	2-8-61		



UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES AND INCLUDE
CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS	TOLERANCES	FRACTIONS
.X ± .05		± 1/64
.XX ± .01		ANGLES ± 0° 30'
.XXX ± .005		

CUT HERE
GUARANTEED
2-66

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL						
C	1	TYPE & TEMPER WAS 2S H14	10.27.64	12767	WLB	J. Sauer	[Signature]		1/4 THICK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	TOP RING TER-3500 CASE						
B	1	DIMS. COMPLETELY CLARIFIED	1-8-63	8000	[Signature]	[Signature]		STOCK SIZE									
A	1	3/8 R ADDED	4/4/56	1	[Signature]	[Signature]		ALUMINUM									
TOLERANCES								MATERIAL		6063-T3							
SCALE:								TYPE & TEMPER		HEAT TREAT. SPEC.		DRAWN		CHECKED		FINAL APPROVAL	
DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±								MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES									
								FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.		MS-740 C			